

### विक्रम विश्वविद्यालय, उज्जैन

दूरभाष नं. कुलसचिव कार्यालय 0734-2514277 मों. नं. 9425788123

क्रमांक / भंडार / 2024 / 775

दिनांक : 16/2/24

### वर्षिक दर अनुबन्ध हेतु ई-निविदा विज्ञिप्त वर्ष-2024

विक्रम विश्वविद्यालय, उज्जैन के विभिन्न विभागों में वर्ष भर लगने वाले फर्नीचर वार्षिक दर अनुबंध हेतु ई-निविदा www.mptenders.gov.in पर आमंत्रित की जाती हैं। निविदाओं का विस्तृत विवरण विक्रम विश्वविद्यालय, उज्जैन की वेबसाइट www.vikramuniv.ac.in पर उपलब्ध है :--

टेण्डर फार्म आनलाइन द्वारा

: दिनांक 17.02.2024 से 08.03.2024 समय 17:00 बजे तक

क्रय करने की तिथि

आनलाइन बिड भरने की तिथि

: दिनांक 17.02.2024 से 08.03.2024 समय 17:00 बजे तक

निविदा (तकनीकी बिड)

: दिनांक 11.03.2024 को अपरान्ह 03.00 बजे।

खोलने की तिथि

निविदा प्रपत्र का मूल्य आनलाइन जमा करें : 5000/- (रूपये पांच हजार मात्र) आनलाईन जमा कर रसीद संलग्न करें।

धरोहर राषि

: 300000/- (रूपये तीन लाख मात्र) आनलाईन जमा कर रसीद संलग्न करें।

नोट :- ई-निविदा में किसी भी प्रकार का संशोधन समाचार पत्र के माध्यम से नहीं किया जावेगा, यह केवल http://www.mptenders.gov.in पर ही प्रकाशित किया जावेगा ।

आदेशानुसार


कुलसचिव

### सामग्री क्रय हेतु ई-निविदा की सामान्य शर्ते

- (1) निविदाकर्ता के प्रतिष्ठान का पंजीयन क्रमांक, पेन कार्ड, विगत 03 वित्तीय वर्ष का आयकर रिटर्न GST पंजीयन क्रमांक, विगत 03 वित्तीय वर्ष का GST रिटर्न का अभिप्रमाणित प्रमाण-पत्र प्रस्तुत करना होगा। उक्त सभी प्रमाण-पत्र अद्यतन होना आवश्यक है।
- (2) ई-निविदा दो भागों में ऑनलाईन प्रस्तुत किये जाये।
  - (अ) प्रथम भाग में तकनीकी निविदा होगी जिसमें टेण्डर फार्म (फार्म–1), वित्तीय क्षमता संबंधी फार्म (फार्म–2), अण्डर टैकिंग फार्म (फार्म–3), डिक्लरेशन फार्म (फार्म–4), निविदा स्वीकृति फार्म (फार्म–5) एवं निविदा से संबंधित अन्य दस्तावेज ऑनलाईन जमा किया जाना अनिवार्य है।
  - (ब) द्वितीय भाग में वित्तीय निविदा फार्म (फार्म-6) होगा, जिसमें सामग्री की समस्त दर इत्यादि सिहत से संबंधित दस्तावेज ऑनलाईन जमा किया जाना अनिवार्य है। जिसे निम्नानुसार प्रोफार्मा में ऑनलाईन प्रस्तुत करेंगे।

Sr. No.	Name of Items	Quantity	Units	Per Unit Rate (without taxes) (Rupees)	GST Rate	Total amount for mentioned quantity (Including all Taxes Rupees)	Amount in Words
1	2	3	4	5	6	7	8
1.							

- (3) निविदा फार्म के साथ रूपये 300000/— (रूपये तीन लाख मात्र) की प्रतिभूति राशि www.mptenders.gov.in पर नियमानुसार जमा कराना अनिवार्य होगा। सफल निविदाकर्ता की प्रतिभूति राशि छोड़कर शेष निविदाकर्ताओं की प्रतिभूति राशि नियमानुसार लौटा दी जावेगी।
- (4) सफल निविदाकर्ता को प्रत्येक कार्यादेश प्राप्त करने के साथ ही क्रय की जाने वाली सामग्री के मूल्य का 3% की राशि की FDR बैंक ग्यारंटी के रूप में जमा करवान होगों जो कि कम से कम 06 माह तक वैध होना आवश्यक है। निष्पादन प्रतिभूति राशि बैंक डिमाण्ड ड्रॉफ्ट, मियादी जमा राशि या बैंक ग्यारंटी के रूप में (कुलसचिव विक्रम विश्वविद्यालय, उज्जैन एवं फर्म के संयुक्त नाम से ) संस्था में जमा किया जाना अनिवार्य होगा। निष्पादनप्रतिभूति राशि प्राप्त होने पर सफल निविदाकर्ता की निविदा प्रतिभूति राशि क्रय प्रक्रिया समाप्ति पश्चात लौटाई जा सकेगी।
- (5) मध्यप्रदेश के सूक्ष्म एवं लघु उद्योग को प्रतिभूति राशि में एवं मध्यप्रदेश के स्टार्टअप को म.प्र. शासन के नियमानुसार प्रतिभूति राशि, अनुभव एवं टर्न ओवर में छूट का प्रावधान रहेगा।



- (6) सफल निविदाकर्ता को क्रयादेश जारी होने के पूर्व 500/— (पाँच सौ रूपये मात्र) के नॉन ज्यूडिशियल स्टॉम्प पर विधिवत रूप से अनुबंध तैयार कराया जाकर हस्ताक्षर/पदमुद्रा सहित दो प्रतियों में इस कार्यालय में अंनिवार्य रूप से प्रस्तुत करना होगा।
- (7) समस्त निविदाकर्ताओं को निविदा शुल्क जमा किया जाना अनिवार्य होगा। किसी भी दशा में निविदा शुल्क वापस नहीं होगा एवं न ही इसमें कोई छूट प्रदान किया जावेगा।
- (8) निविदाकर्ता को निविदा में दस्तावेजों की छायाप्रति पर फर्म की सील जिसमें फर्म का नाम एवं पूरा पता एवं मोबाइल नम्बरतथा अन्य विवरण हो, अंकित कर ऑनलाईन जमा करना अनिवार्य है।
- (9) सामग्री (प्रति नग) की समस्त कर सिंहत दर्शायी गयी दर एवं सामग्री प्रदाय अनुबंध, अनुबंध दिनांक से 01 वर्ष तक की अविध के लिए वैध रहेगा जिस अविध में आवश्यकतानुसार फर्नीचर क्रय आदेश जारी किये जा सकेगें एवं दोनो पक्षों की सहमित से 01 वर्ष की अविध के लिए पुनः विस्तार की जा सकेगा।
- (10) निविदा में सामग्री के साथ अंकित निर्धारित स्पेसिफिकेशन अनुसार ही सामग्री का प्रदाय करना अनिवार्य है।
- (11) सफल निविदाकर्ता को प्रदायित सामग्री का 02 वर्षों तक मेन्टेनेंस अनुबंध एवं ग्यारंटी तथा वारंटी प्रदान करना होगी।
- (12) निविदाकर्ता का सर्विस सेन्टर मध्यप्रदेश में स्थित होना चाहिए।
- (13) कोई भी निविदा, बिना कारण बताये पूर्णतः अथवा अंशतः स्वीकृत करने का पूर्ण अधिकार कुलसचिव विक्रम विश्वविद्यालय, उज्जैन (म.प्र.) को होगा। सबसे कम दर की निविदा स्वीकृत करने के लिए कुलसचिव विक्रम विश्वविद्यालय, उज्जैन (म.प्र.) बाध्य नहीं होंगे और न ही इस संबंध में पत्राचार स्वीकार किया जायेगा।
- (14) सफल निविदाकर्ता को सामग्री का प्रदाय प्रथम क्रय आदेश जारी दिनांक से अधिकतम 45 दिन के भीतर करना होगा।
- (15) निविदाकर्ता को फनीर्चर टर्न ओवर के संबंध में पिछले 03 वित्तीय वर्षों में कुल संचयी न्यूनतम टर्न ओवर राशि 50,00,000/— (पचास लाख रूपये) का चार्टर्ड अकाउटेंट का प्रमाण-पत्र प्रस्तुत करना होगा।
- (16) विगत 03 वर्षों में निविदाकर्ता द्वारा कुल राशि 5,00,000/- (पाँच लाख रूपये) मूल्य के निविदा में दर्शायी गई फर्नीचर की श्रेणी के अन्तर्गत आने वाले फर्नीचर का प्रदाय किसी भी केन्द्र सरकार/राज्य सरकार के शासकीय/अर्द्ध शासकीय/स्वशासी संस्थान में किया गया हो। इस संबंध में क्रय आदेश एवं उनके पालन संबंधी दस्तावेज प्रस्तुत करना अनिवार्य रहेगा।



de dire

- (17) निविदाकर्ता कम से कम तीन वर्ष से फर्नीचर निर्माण प्रदाय कार्य में संलग्न होना चाहिए।
- (18) क्रय की जाने वाली सामग्री की संख्या आवश्यकतानुसार एवं बजट के आधार क्रय जी जाएगी।
- (19) निविदाकर्ता द्वारा सामग्री के सभी स्पेसिफिकेशन को पूर्ण करने वाला नमूना, निविदा जमा करने की अंतिम तिथि से 2 दिवस पूर्व पहले संस्था में प्रस्तुत किया जाना अनिवार्य है। सामग्री का नमूना प्रस्तुत नहीं करने पर निविदा पर विचार नहीं किया जावेगा। तकनीकी मूल्यांकन के लिए केवल वही निविदाएँ स्वीकार की जाएगी, जिनकी सामग्री का नमूना संस्था में जमा होगा एवं गुणवत्ता मूल्यांकन में सफल होगा। सफल निविदाकर्ता को छोड़कर शेष निविदाकर्ताओं के सामग्री के नमूने वापस कर दिये जायेंगे, जबिक आपूर्ति के लिए चयनित आपूर्तिकर्ता को पूरी खरीद प्रक्रिया पूरी होने के बाद नमूना वापस किया जावेगा।
- (20) आपूर्तिकर्ता को अंतिम रूप देने के लिए नमूने की गुणवत्ता का मूल्यांकन किया जाएगा। यदि नमूना विफल हो जाता है तो वित्तीय मूल्यांकन के लिए वित्तीय निविदा पर विचार नहीं किया जाएगा।
- (21) यदि फर्म निर्धारित अविध में सामग्री प्रदाय नहीं करती है तथा प्रदाय अविध में विस्तार के लिये अनुरोध भी नहीं करती है तो बिना कारण बताये सक्षम अधिकारी द्वारा क्रयादेश निरस्त किया जा सकता है।
- (22) निर्धारित दिनांक एवं समय के पश्चात् कोई भी निविदा/नमूना/प्रमाण-पत्र अथवा किसी भी प्रकरा के दस्तावेज स्वीकार नहीं किये जावेंगे। ऑनलाईन तकनीकी निविदायें समय सारणी के अनुसार खोली जायेगी। उक्त निविदा खोलते समय निविदाकर्ता या प्रतिनिधि भी उपस्थित हो सकते है।
- (23) प्रमाणीकरण हेतु मान्यता प्राप्त संस्थाओं से यदि निविदाकर्ता का उत्पाद प्रमाणित हो तो उक्त प्रमाण-पत्र निविदा में ऑनलाईन प्रस्तुत किया जा सकता है।
- (24) सामग्री के स्वीकृत होने / पूर्ण प्रदाय होने के उपरान्त ही भुगतान किया जायेगा तथा आहरण एवं भुगतान प्रक्रिया में शासकीय व्यवधानों के कारण विलम्ब भी हो सकता हैं। विलम्ब के लिए पृथक से अतिरिक्त भुगतान नहीं किया जावेगा।
- (25) निविदा में विभाग द्वारा चाही गई जानकारी से संबंधित वांछित प्रपत्र ही ऑनलाईन प्रस्तुत किये जावे, अन्य अवांछित प्रपत्र प्रस्तुत नहीं किये जावे।
- (26) फर्म किसी भी शासकीय एवं गैर शासकीय संस्थान द्वारा ब्लैक लिस्ट नहीं की गई है, इस बाबत् निर्धारित प्रारूप फार्म—IV में घोषणा—पत्र (डिक्लयरेशन) 100/— रूपये के स्टॉम्प पर शपथ पत्र में सील एवं हस्ताक्षर के साथ ऑनलाईन दस्तावेजों के साथ प्रस्तुत करना अनिवार्य है।
- (27) फर्म को निविदा प्रपन्न के फार्म—III के निर्धारित प्रारूप में कर कटौत्रा संबंधी अण्डरटेकिंग पन्न फर्म के लेटर हेड पर सील एवं हस्ताक्षर के साथ ऑनलाईन प्रस्तुत किया जावे।

Stripe

- (28) ई-निविदा संबंधी जानकारी संस्था की वेबसाईट www.vikramuniv.ac.in पर भी उपलब्ध है, जिसे उक्त वेबसाईट से डाउनलोड किया जा सकता है। वेबसाईट से डाउनलोड किये गये फार्म को जमा करते समय उसकी तकनीकी निविदा के साथ निर्धारित टेण्डर फीस, जो कि Through mptenders.gov.in से ऑनलाईन जमा की गयी है, उसे ऑनलाईन प्रस्तुत करना अनिवार्य है।
- (29) अन्य नियम एवं शर्त जिनका उल्लेख ऊपर नहीं किया गया है, मध्यप्रदेश शासन के वित्तीय नियमों एवं सामान्य वित्तीय नियमों (GFR) के प्रावधानों के अनुसार होगी। किसी भी विवाद के निपटारे या नियमों के निर्वचन का अधिकार, कुलसचिव विक्रम विश्वविद्यालय, उज्जैन का निर्णय अंतिम होगा एवं यह दोनों पक्षों को मान्य होगा।
- (30) निविदा के साथ प्रस्तुत दस्तावेजों का क्रमांक निर्धारित फार्म में आवश्यक रूपसे अंकित कर पूर्ण दस्तावेजों को सत्यापित कर ऑनलाईन प्रस्तुत करना अनिवार्य है।
- (31) निविदाकर्ता को ई-निविदा के माध्यम से समस्त दस्तावेजों को ऑनलाईन प्रस्तुत करना अनिवार्य है।

स्कैन्ड दस्तावेजों को ऑनलाइन अपलोड करने से पूर्व अपने स्तर पर जांच लेवें कि दस्तावेज पठनीय है। दस्तावेज अपठनीय होने पर निविदा पर विचार नहीं किया जाएगा।

- (32) निविदा फर्नीचर निर्माताओं के लिए रहेगी।
- (33) फर्नीचर निर्माता कम्पनी को अपनी फैक्ट्री में संलग्न प्रपत्र अनुसार मशीन होना अनिवार्य है। इस बाबत् संस्था द्वारा कभी भी फैक्ट्री परिसर में निरीक्षण किया जा सकता है।
- (34) निविदाकार के फैक्ट्री परिसर में 20HP का विद्युत संयोजन होना चाहिए इस बाबत् MPEB के बिल की कॉपी संलग्न की जाए। एवं 10 हजार सक्वर फिट का फेक्ट्री परिसर होना अनिवार्य है। इस बाबत् किराया रसीद/लिजडीड की कॉपी संलग्न किया जाए।
- (35) निविदाकर्ता को सभी सामग्री के नमूने सेम्पल जमा करना अनिवार्य होगा। अपूर्ण, चुनिंदा नमूना सेम्पल वाली फर्म के सेम्पल तकनीकी मूल्यांकन में सिम्मिलित नहीं किये जायेंगे एवं निविदा पर विचार नहीं किया जावेगा। कुल ITEMS में से संलग्न सूची अनुसार 10 ITEMS के नमूने प्रसतुत किए जाना है।
- (37) निविदाकर्ता आनलाइन निविदा भरने के साथ ही तकनीकी सिमिति की बैठक के पूर्व समस्त प्रपत्र हस्ताक्षरित निविदा प्रपत्र एवं निविदा में अन्य वांछित अभिलेखो सिहत हार्डकॉपी निर्धारित दिनांक तक उपकुलसिवव (भण्डार) के पते पर व्यक्तिगत या स्पीड पोस्ट के माध्यम से जमा किया जाना अनिवार्य है।

कुलसचिव

विक्रम विश्वविद्यालय, उज्जैन

उज्जैन (म.प्र.)

5

DR STO

Hise

#### MANUFACTURING FACILITIES :-

Manufacturing facilities: The following machines must installed in the unit premises undertaking in this regard must submitted by the tenderer.

- (1) Mechanical / Hydraulic press brake 8ft.
- (2) Power presses 2 nos. Minimum 10 MT and 20 MT
- (3) Power Shearing Machine 8ft.
- (4) MIG Welding Set
- (5) TIG Welding Set
- (6) Spot Welding Machine
- (7) Hydraulic / Mechanical (Power Operated) Pipe bending machine with complete-set dies.
- (8) Dies, Punches, Jigs, Fixtures and Tools for each item.
- (9) Panel Saw Machine
- (10) Post Forming Machine
- (11) Through feed edge banding machine.
- (12) Air compressor with Pneumatic tools for fixing fasteners, screws, etc.
- (13) Complete powder coating facility including 7 tanks surface pre-treatment plant.
- (14) Roller press / Heavy duty press for lamination.
- (15) Heavy Duty Sewing Machine
- (16) Multi Boring Machine
- (17) Spindle moulds machine for producing wooden moulds.
- (18) A complete set up for assembling chairs with all pneumatic required tools.
- (19) Manual Feed Edge Banding Machine.
- (20) Zig saw

Quality Control Facilities: The following important measuring / testing Equipment's must available in the unit. Undertaking in this regard must submitted by the tenderer.

6

- (1) Micrometers 0 to 25 mm with least count of 0.01 mm
- (2) Vernier Calipers 150/200 mm with least count of 0.02 mm
- (3) Steel measuring scales 24 inch long Tape.
- (4) Thickness measuring gauge for Measuring Powder Coating Thickness.
- (5) Sheet Thickness Dial Gauge.

6

6/2/21

Dinge

### FORM - I

### TENDER FORM

	*	S.No
1.	Tender applied for	_
2.	Name & full address of the firm submitting the tender	
3.	Name of contact personnel	
4.	Name of local contact personnel (If any)	
5.	Phone Number / Fax No	
6.	E-mail address	<del>-</del>
7.	Tender fee deposited vide online Receipt No Dtd	
8.	GSTIN No	
9.	Earnest money Paid Online Through Yes / N	lo
10.	Agreed to abide by terms and conditions laid down for NIT No.	_
	Dtd: Yes / No.	
11.	Signed on each pages as a token of acceptance of terms & condition la	id down for NIT
	No. F - / Date:	
Note	: Enclosed form II to V with duly filled with signed & Seal.	
Date	*	
Place	e: Signature of Proprietor /	Ŷ
	Manager / Representative of fir	m
	1	

(Note :- This form must be downloaded, filled & signed & then uploaded online)

So R

2) rioc

### FINANCIAL STATUS FORM

### (To be enclosed with Technical bid)

S.No.	Particulars	Bidder Statement (s)	Supporting Document Enclosed	Page No.
1.	Name of Tendering Firm			
2.	Date of Establishment of firm	57		
3.	Attested certificateof Registration with Registration number of firm.	A		
4.	GST Registration number of firm			5
5.	Turnover of company			
6.	Copies of purchase orders received from the any Government office in favour of required items for Last Three Years.		87	
7.	Declaration by Firm (Form-IV)			
8.	Under Taking Certificate (Form-V)			
9.	EMD UTR No. / Reference No. and Amount			
10.	Whether attachedIncome Tax Return of Last 03 Financial Years (Yes/No)			

(Note :- This form must be downloaded, filled & signed & then uploaded online)

6 80 8

dioe

### (On the Letterhead of the Participant Bidder Firm / Company)

### **UNDERTAKING**

I		S/o	Shree			_ Residen	t of
		,	<u> </u>		Being	Director	1
Proprietor /							
				i.e.		. wł	nose
Income Tax PAN No					and	d GST No	o. is
Hereby give consent to			istrar Vikrar		, Ujjain (M	.P.)" to de	duct
from our Bills whatever	er Balance G	overnn	nent Taxes a	mount is pa	yable by us	on accour	nt of
the necessary tax dues.							
*							
Place :							
Date :			Signature _				ě
			Name :				
			Post :				
		5	Seal				

(Note :- This form must be downloaded, filled & signed & then uploaded online)

la se

of rise

# Following Declaration Duly Filled in Must be Enclosed with the "Technical Bid" as given below

### DECLARATION

I, (Name of M.D. / Proprietor of Firm) son		
of M/s	(Name of firm and full	
address) have read all the Terms and Conditionacceptable to me. Earnet Money Paid Onling	ons of the Tender given above these are see of Rs (In words)	
of M/s		
address) with company registration number cer- firm for this work and manufacturing / trading si- that we are not black listed Govt./University/Bank/Corporation/Autonomous documents is duly signed with seal by us. We un- required in this tender mandated by the law.	by any state of central Institute etc. Each page of tender	
Place :		
Date:Sign	nature	
Nan	ne	
& S	eal of the Tenderer (Supplier)	

(Note :- This form must be downloaded, filled & signed & then uploaded online)

10

Dise

То,	(10 be given on Company Letter Head)
Subj	ect : Acceptance of Terms & Conditions of Tender.
Tend	er Reference No. :
Nam	e of Tender / Work :
Dear	Sir,
(1)	I / We have downloaded / obtained the tender document (s) for the above mentioned 'Tender / Work' from the web site (s) namely:
	as per your advertisement, given in the above mentioned website (s).
(2)	I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from page no to (including all documents like annexure (s), schedule (s), etc), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
(3)	The corrigendum (s) issued from time to time by your department / organizations too have also been taken into consideration, while submitting this acceptance letter.
(4)	I / We hereby unconditionally accept the tender conditions of above mentioned tender documents.(s) / corrigendum (s) in its totality / entirety.
(5)	1 / We do hereby declare that our firm has not been blacklisted / debarred by any Govt.Department / Public sector undertaking.
(6)	1 / We certify that all information furnished by the our firm is true & correct and in the event that the information is found to be incorrect / untrue or found violated, then your department / organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Your's Faithfully, (Signature of the Bidder, with Official Seal)

(Note :- This form must be downloaded, filled & signed & then uploaded online)

### (CHECK LIST)

### (To be submitted with First Page in Technical Bid Compulsory)

Name of Firm	
Name of Item	

S.No.	Description	Details	Tick(√/×)	Page No.
1.	E-mail address (✓×)			
2.	Firm's Registration & Certification Date			Ų.
3.	EMD			1
4.	Tender Fee			0,
5.	Acceptance of all term & condition of the tender			
6.	Tender form			
7.	Technical Bid			
8.	GST Certificate & GST Return of last financial year			
9.	Turnover Certificate of CA			
10.	Purchase orders of Supplies to Government Department, in Three Financial Year (Mention the name of the office and quantity of the item)			
11.	Income Tax Return of last financial year			
12	Manufacturing Facilities		V = -	

Signature of Bidder

(Note :- This form must be downloaded, filled & signed & then uploaded online)

6

Se I

shire

### ई-निविदा सूचना

विक्रम विश्वविद्यालय, उज्जैन की ओर से निम्नानुसार समस्त विभाग एवं समस्त अ.शा. हेतु आवश्यकतानुसार फर्नीचर क्रय करने हेतु दर प्राप्त किये जाने एवं अनुबंध करने हेतु ऑनलाईन खुली निविदा आमंत्रित की जाती है।

S.No.	, Name of Items	Item Approximate	Specification at page no.
1.	Student Table	01	01
2.	Student Chair	01	02
3.	Dual desk	01	03
4.	Pipe Frame Cot	01	04
5.	Angal Iron Rack	01	05
6.	Executive Officer Table	01	06
7.	Executive Chair	01	07
8.	Revolving Chair for Staff	01	08
9.	Office Table	01	09
10.	Vizitors Chair	01	10
11.	Visitor's Steel Benches	01	11
12.	Sofa - Three Seater 3 + 2	01	12
13.	Office Almirah with glass door	01	13
14	Steel Almirah Major	01	14
15	Steel Almirah Minor	01	15
16	Hostal Table	01	16
17	ConferenceTable	01	17
18	Executive Chair Low Back	01	18
19	Book Case (4 Doors)	01	19
20	Premium Visiter Chair	01	20
21	Computer Table	01	21
22	Writing Paid Chair	01	22
23	Plan Table	01	23
24	Steel Filing Cabinet	01	24
25	Center Table	01	- 25
26	Rack for Confidational Department	01	26

6/2/2021

Quire

13

### Proforma for Financial Bid

S.No.	Name of Items	Quantity	Rate with GST
1.	Student Table	01	
2.	Student Chair	01	
3.	Dual desk	01	
4.	Pipe Frame Cot	01	
5.	Angal Iron Rack	01	
6.	Executive Officer Table	01	
7.	Executive Chair	01	
8.	Revolving Chair for Staff	01	
9.	Office Table	01	
10.	Vizitors Chair	01	
11.	Visitor's Steel Benches	01	
12.	Sofa - Three Seater 3 + 2	01	
13.	Office Almirah with glass door	01	
14	Steel Almirah Major	01	
15	Steel Almirah Minor	01	
16	Hostal Table	01	
17	ConferenceTable	01	
18	Executive Chair Low Back	01	
19	Book Case (4 Doors)	01	
20	Premium Visiter Chair	01	
21	Computer Table	01	
22	Writing Paid Chair	01	
23	Plan Table	01	
24	Steel Filing Cabinet	01	
25	Center Table	01	
26	Rack for Confidational Department	01	

नोट :- निविदा हेतु प्रस्तुत की गई वित्तीय निविदा को सिर्फ ऑनलाईन प्रस्तुत किया जाना है।

2 Divol

#### Centre Table

- 1- Centre table (S.no.25): 36" × 24 "× 18" in 18 mm Board of Action /Century. With Deco Paint/Polish provided with 12 mm glass on top. One Shelf should be provided on the bottom of table.
- 2- Rack for Confidational Department (S.no. 26): Size 8' × 4'× 16 " in 40×40×5 mm thick angle having 7 shelf madeup of 18g thick sheet and supported by 25×25×2 mm thick angle.
- 3- Sample must be submitted of follying items:-
  - 1- Dual desk
  - 2- Premium Visiter Chair
  - 3- Steel Filing Cabinet
  - 4- Book Case (4 Doors)
  - 5- Steel Almirah Major
  - 6- Sofa Three Seater 3 + 2
  - 7- Revolving Chair for Staff
  - 8- Executive officer Table
  - 9- Vizitors Chair
  - 10- Office Almirah with glass door

Note: For item no. 23 Plan Table size is 1800mmx900x750mm and for item no. 17 ConferenceTable the rate should be for single person.


la

80 2

Diroc

### STUDENT TABLE Code No.: 993B-10

(Overall Size : 600x460x760mm Wooden top) Steel Structure Square Pipe PLB Top



TOP

:

18mm thick prelaminated particle board like Novapon/Novatcak/action/

Bruten, in approved shade with half round lipping with thinner polish or touch wood polish 2 mm Hick puc Upping

STRUCTURE

Century | green

Made of 25x25x1.25mm MS/CR pipe 18 gauge duly welded.

PAINT

Two coats of air drying synthetic enamel paints of Poroder coaling of

Asian/Burger/ Nerolac/Shalimar, over one coat of metal primer for

pipe structure.

6

Se 2


dise



### STUDENT CHAIR

Code No.: 993B-11

(Steel Structure & PLPB seat.)



OTHER PAIR

action/contay

SEAT & BACK REST green 18mm thick prelaminated particle board like Novapan/Novateak/
Bhutan, in approved shade with half round lipping with thinner
polish or touch wood polish / 2mm Hick pur upping

STRUCTURE

Made of 25x25x1.25mm MS/CR pipe 18 gauge duly welded.

PAINT

Two coats of air drying synthetic enamel paints of Powder Conting of Asian/Burger/ Nerolac/Shalimar, over one coat of metal primer for


pipe structure.


6

:

862

Trise





#### SPECIFICATION

poard e of Dia

s welded

ckness.

orrosion

- 1. Overall Dimensions: W1066mm xD 940mm xHt 760/450mm
- Seat Size W1066mm x D-300 mm Made of PL MDF board 18mm. With Frame -MS CR tube dia 25mm x 1.2mm thickness
- Desk top: (Size: W1066mm xD 450mm) Made up of 18mm thick pre-laminated MDF board.
- Frame Structure: Made up of Prime quality CRCA Rectangular tube 25x50x1.2mm thickness welded to Press formed steel column 95 x 25 x 1mm thickness as per drawing.
- Front Panel cum tray: Point Embossed Prime quality CRCA sheet of H 200mm x 1010 x 0.8mm thickness& perforation panel made of 300Ht x0.8mmthickness CRCA sheet.
- 6. Lipping: The Side edges of top shall be covered with pre glued tape edge bands by hot process.
- Finish: All steel components should be epoxy powder coated after seven tanks anti corrosion pretreatment of surface.
- 8. The overall appearance of the product shall be as per photograph.

se the Dropte to tops bound bein Blue on of Brown

6


8

Dioe

#### STEEL COT

### OVERAL BUILD - (D) COURS (W) BOOK X COLO 45 COMMON STAPE SA

OVERALL SIZE:- (L) 1910 X (W) 950 X (H) 450 mm of Type - B




- 1. M.S. Tobe 30 mm dia X 1.25 mm Thk.
- 3. M.S. Tube 20 mm dia X 1.00 mm Thk.
- 5. M.S. Square Tube 25 x 25 x 1.25 mm Thk 7. M.S. Angle 30 x 30 x 5mm.1.00 mm long.
- 2. M.S. Tube 12 mm dia X 1.00 mm Thk.
- 4. M.S. Angle 30 X 30 X 5 mm .1.00 mm long.
- 6. M.S. Rectangle Tube 50 x 25 x 1.25 mm Thk
- 8. Water Proof ISI Mark Ply 12 mm Thk.

DRAWING No. MPLUN/TECH/TS-1 / 1 DATED 05-07-2008

Page 30 of 76






- Shelf
- Corner Plates
- Slotted Angle
- Plastic Shoe.
- Bolts

Stee 78 x 36 x 18"

- @ Having 6 shelf Rack Angle 2mm thick 3 sheet thickness 1.0 mm

## Executive office Table



Executive office table size 1500mm × 900mm × 750mm having side unit of 900×450mm in 18mm thick MDF board. Top table in 25mm having 3 drawer storage on Telescopic Channel with branded high quality lock in drawer and side unit

Side unit must have shelf in the middle.

Table and side unit fitted with buffer (Rubber shoes) to give clearance from ground for cleaning purpose

Drawers and side unit fitted with his handles of 6".

In front of Table having Aluminum strips in front as shown in Picture attached,

Overall look must be with best finish and attractive features of an executive table.

### Executive Chair



### SPECIFICATION

- Overall Dimension: (Min)-H1185mm (Max) 1285mm.
  - Seat Height:Min.460-Max.560mm.
  - Depth: 660mm. and width: 640mm.
  - Seat size 555x560 mm
- Material: Scat and back made up of 12mm thick hot pressed plywood, upholstered with black or brown Leatherite fabric with 40-50 hi-density foam. The back with hi-density foam 40 is designed with contoured lumbar support for extra comfort. Foam thickness 60-100mm as per photograph.
- The armrest one piece and made of P.P. and reinforced with M.S. insert and scratch and weather resistant and cushion by foam upholstered with same shade Leatherite fabric.
- Castors: The twin wheel castors shall be injected moulded in black Nylon.
- Pedestal Assy: The pedestal shall be injection moulded in black 30% glass filled Nylon with gas lift
- Mechanism: The tilting mechanism shall be designed with 17degree maximum tilt and shall be provided with the upright lock facility and shall have gas lift mechanism.
- Upholstery: The seat and back are to be covered with superior quality Leatherite fabric
- Finish: steel are to be powder coated after seven tanks anti corrosion pretreatment of surface.
- The overall appearance of the product shall be as per photograph.



# Revolving chair for round Table






#### SPECIFICATION

- Size: Total Height: 1030mm to 1130mm Seat Height: 425mm to 525mm.
  - Depth: 580mm and width: 510mm.
  - Seat size 485x430 mm
  - Back size 475x675 mm
- Material Scat and back made up of 12mm thick hot pressed plywood, with 50 density polyurethane moulded foam min. 60mm thick. The back foam is designed with contoured lumbar support for extra comfort.
- The armrest one piece and made of black integral skin polyurchane and reinforced with M.S. insert and scratch and weather resistant and cushion by foam upholstered with same shade latherite.
- Back-ABS plastic cover.
- Castors: The twip wheel castors shall be injected moulded in black Nylon.
- Pedestal Assy. The pedestal shall-be injection moulded in black polypropylene with gas hit mechanism width 700mm
  - Upholstery: The seat and back are to be covered with superior quality fabric.
- 5 Finish steel are to be powder coated after seven tanks anti-corrosion pretreatment of surface. Coating thickness 50 micron

6

8 ×

Q frise



MATERIAL DETAILS. :-

TABLE TOP Oppo (A) Minspethick PL MDF Board (ISI Mark)

Type (B)-. Post formed lamination of 0.70 mm on 18 mm thick plain

MDF board (ISI Mark)

2. LIPPING :- Type (A) Teak wood half round 50 mm wide & supported from inside by 30 mm wide strip made of 18 mm thick PLMDF Board in one piece in each side (Not shown in fig.)

Type (B) The edge banding by tape of 1 mm thick of same shade of

laminate board by hot glue process machine where ever required.

- 3 DRAWER and CR sheet 0.80 mm thick.
- 4 CUPBOARD BOX Size 600(D)x350(W)x450(H)mm.
- 5 DRAWER Drawer 500(D)x 85(H) mm minimum
- 6. FOOT REST į. ERW square tube 25x25x1.25mm in full length and gap between two tubes approx. minimum 100mm.
- 7 STRUCTURE ERW Square tube 25x25x1.25 mm in size 1100 x 600 x 732 mm
- 8. SUPPORT PIPE:- A support of E.R.W. Square tube 25 x 25 x 1.25mm, length-wise as shown in drawing.
- 9. Rubber Shoes Good quality Rubber shoes with proper washer in it.
- 10. Lock Lock of 6 lever of high quality with duplicate flat key and key ring for 3 locks operating by one key.
- Also refer "General requirements for manufacturing & accessories/hardware etc." 11.

Spec- Steel Furniture-09-11-2016



Specification:

Overall dimensions:- W590mm x D630mm x H815mm

Seat Height - 450mm

Seat Size - W490mm x D430mm

Back Size - W485mm x H450mm

Material: The seat and back shall be made of 12mm+1mm thick hot pressed ply and wood, upholstered with high quality fabric & molded polyurethane foam of 45a) 50kg/m3 density and 60mm thick. The foam shall have designed with contoured lumber support. Fabric cost Rs.300/mtr. app.

Armrest: The armrest shall be made in one piece polyurethane reinforce with MS . b)


Frame: The frame shall be made of CR tube 25x1.8 dia in cantilever shape c) reinforced at load bearing bands from inside.

Buch ABS phosik course Lolour of cloth is Blue Jule

appearance of the product shall photograph d) overall e)

H

Wetal Bench 3 St. Visitor's Steel Benches




3 Seater Bench size 1670×570×815 (L×W×H). There individual seat in ms sheet powder coated in Indian model similar to the picture shown above. The bench must be rust proof and robust to withstand sunlight, light rain and moisture as it will be used in corridors.

G So Herrise




# Sofa Three Seater



- 3 Scater sofa having size W1660×D750×H740mm having cushion 75mm thick feam for seat and back having wooden frame and Ply 12mm. The shape and design must be near similar to picture attached. The covering must be of premier quality leather finish material which is stain resistant, durable and should not develop eracks after prolonged use.
- Sofa Single Seater overall size having W605× D600×H740mm single seater having cushion of 75mm thick foam for seat and back, having wooden frame and Ply 12mm. The shape and design must be near similar to picture attached. The covering must be of premier quality leather finish material which is stain resistant, durable and should not develop cracks after prolonged use.

6 80 B

# Office Almirah with glass door



#### SPECIFICATION

- 1. Overall Dimensions: H1980 x W915 x D485mm
- Material: Prime quality MS CRCA sheets 1.0mm for front, sides and shelves & 0.8mm for back.
  - No. of shelves: No. of shelves Four forming five compartments.
- Locking Mechanism: Two way bolting device with six levers superior quality standard make lock with duplicate keys.
  - Pedestal: Made of 1.00mm CRCA sheet. Height 125mm.
- Doors: 3mm thick glass paneled doors with suitable framework.
  - Hinges: Double folded type hinges made of MS CRCA sheet L8mm to 2.0mm. Three hinges for each door leaf.
- Finish: Glass Door Cabinet shall be powder coated after seven tanks anti-corrosion pretreatment:
- All the accessories shall be superior quality and standard make
- 16. The overall appearance of the product shall be as per photograph.


6

8 2

Dure



### STEEL ALMIRAH MAJOR Code No. DX - 31 A



#### med SPECIFICATION

hick

- Overall Dimensions: H1980 x W915 x D485mm
- e ban 2. Material: Prime quality MS CRCA sheets 1.0mm for front, side and shelves & 0.8mm for back.
  - No. of shelves: Four forming five compartments. Suitable arrangement shall be provided for adjusting the shelves as per requirement.
- Locking Mechanism; Three way bolting device with six levers superior quality standard make lock heet with duplicate keys.
  - 5. Pedestal: Made of 1mm MS CRCA sheet. Height125mm.
- Hinges: Double folded type hinges made of MS CRCA sheet thickness 1.8mm to 2.0mm. Three e discharges for each door leaf.
  - Finish: Almirah shall be powder coated after seven tanks anti corrosion pretreatment.
  - All the accessories shall be superior quality and standard make.
  - The overall appearance of the product shall be as per photograph.

6


800

Olybe



### STEEL ALMIRAH MINOR

Code No. DX - 32 A



#### SPECIFICATION

Overall Dimensions: H1266 x W760 x D430mm

Material: Prime quality MS CRCA sheets 1.0mm for front, sides and shelves & 0.8mm for back.

No. of shelves: Three shelves forming four compartments. Suitable arrangement shall be provided for adjusting the shelves as per requirement.

Locking Mechanism: Three way bolting device with six levers superior quality standard make lock with duplicate keys.

Pedestal: Made of 1mm MS CRCA sheet. Height 125mm.

 Hinges: Double folded type hinges made of MS CRCA sheet 1.8mm to 2.0mm. Two hinges for each door leaf.

- Finish: Almirah shall be powder coated after seven tanks anti corrosion pretreatment.
- All the accessories shall be superior quality and standard make.
- The overall appearance of the product shall be as per photograph.

(20)

8 1 2 N

alyoe

SPEC. 1. ( 2.

I

3.

5.

6.

7.

9

10.



#### MADHYA PRADESH LAGHU UDYOG NIGAM LTD.

(M.P. Government Undertaking)

1st Floor, Panchanan Bhawan, Malviya Nagar, Bhopal.


Name of item: Deluxe Steel Furniture

Item code :SMF1128

Tender No. KE15116-A Due Date: 02.03.2016

### (13) CANTEEN TABLE (8 SEATER)

Code No. DX - 46 A



#### SPECIFICATION:

- Over all size:- L-2130mmx D-915mmxHt-760mm
- Six-legged under-structure made of prime quality CR MS square tube 30mm x 30mm x 1.0mm thick 30 mm x
- Stool Frame: Four-pronged steel-frame of 25mm dia round, CR MS tube of 1.6 thickness for stools.
- 4. Stools tilting on steel-pivot brackets.
- Both side foot-rests in table joint with one support.
- 6. All steel parts powder-coated with 50-60 micron.
- Top: 0.8mm thick stainless-steel properly bent & edge-formed, supported by 12mm waterproof.
   Ply fitted with CSK screw & nut.
- Stool Top made up of 0.8mm thick stainless steel dia 300mm, supported on 12mm Ply fitted with CSK screw on 19mmx3 mm thick MS flat welded on stool frame.
- Construction-Knockdown (folding) as per photograph.

6


662/24

a luise



## CONFERENCE TABLE (14 PERSONS)

Code No. DX - 12 B



#### SPECIFICATION

- Overall Dimension: 3600mm Lx 2100mm W x 740mm H.
- Post formed Table 25mm thick MDF board ISI mark with 0.60mm min.thick high pressure post form lamination
- Lipping: The edge banding of pre glued tape of same shade of laminated board, by hot process.
- 4. Construction: Conference table is to be made in four pieces as shown in photograph the Overall size horizontal four persons table shall be 2200L x 700W. Overall size widthwise one person table shall be 700L x 700W. All the four corners are to be covered with half round top as shown. All the tables are to be covered with front panels having height 350mm.
- The overall appearance of the product shall be as per photograph.

6

P (5

(52)

2 Hoo



### EXECUTIVE CHAIR LOW BACK

Code No. DX - 14 C



#### SPECIFICATION

vidth: 630mm

holstered with designed

or ic. .

ch and

t and added

i corrosion

Overall Size: - Total Height: 810mm to 935mm Seat Height: 425mm to 550 mm. Depth: 580mm. 1. and width: 510mm.

Seat size 485 x 430 mm

Back size 485 x 450 mm

- 2. Material: Seat and back made up of 12mm thick hot pressed plywood, with 40-50 % density polyurethane moulded foam min. 60mm thick. The back foam is designed with contoured lumbar support for extra comfort.
- The armrest one piece and made of black integral skin polyurethane and reinforced with M.S. insert 3. Scratch and weather resistant and cushioned by foam upholstered with same shade Leatherite fabric.
- 4. Back-ABS plastic cover.
- 5. Castors: The twin wheel castors shall be injected moulded in black Nylon.
- 6. Pedestal Assy.: The pedestal shall be injection moulded in black polypropylene with gas lift mechanism width 700mm
- 7. Upholstery: The seat and back are to be covered with superior quality fabric.
- 8. Finish: All steel components are to be powder coated after seven tanks anti corrosion pretreatment of surface, Coating thickness 50 micron
- 9. The overall appearance of the product shall be as per photograph.

(91)



f 0.8mm CR


or cushion.

d make lock

iges for each

## BOOK CASE (4 DOORS)

Code No. DX - 37 A



#### SPECIFICATION

- Overall Dimensions: H1675 x W900 x D308mm
- Dimension of each compartment: H355 x W764 x D308mm.
- 3. Material: Prime quality CRCA sheet 0.8mm thick.
- Compartment door: Each compartment shall provide to-hung glass door, which swings, open 4. upwards and slides into the casing when fully open by means of rollers. The overall size of glass (of
  - Imm thickness) shall be such, that all the books in compartment shall be visible. For proper alignment of glass door cross plate (patti) arrangement i.e. Kenchi system is to be fitted in each door.
- Construction: All the components shall be precisely fabricated to high-level workmanship with clean
- Lock & Handles: Two nos. good quality handles are to be provided on each door with precision lock. Key shall be common for all compartment lock.
- Finish: The bookcase shall be powder coated after seven tanks pretreatment.

The overall appearance of the product shall be as per photograph.

(25)



### PREMIUM VISITER CHAIR Code No. DX - 13 C



#### SPECIFICATION

 Overall Size: - Total Height: 1045mm. Seat Height: 520mm. Depth: 685mm. and width: 630mm Seat size 555x540 mm

Back size 520 x 645 mm

- Material: Seat and back shall be made up of 12mm thick hot pressed plywood, upholstered with black & brown Leatherite and foam with hi density foam 40-50. The back foam is designed with contoured lumbar support for extra comfort. Foam thickness 60-100mm as per Photograph.
- The armrest one piece and made of P.P. and reinforced with M.S. insert and scratch and weather resistant and cushion by foam upholstered with same shade Leatherite fabr ic.
- The tubular frame cantilever type reinforced at the bends to give cushioning effect and added strength and made of dia 32mm x 1.8 to 2.0mm.
- Finish: All steel components are to be Epoxy powder coated after seven tanks anti corrosion pretreatment of surface
- The overall appearance of the product shall be as per photograph.

#### SPECIFI

- 1. Ov and Sea
- 2. Ma

Ba

- pol sur
- 3. The Ser fab
- 4. Bac
- 5. Cas
- 6. Ped med
- 7. Upl
- 8. Fin of s
- The

G.

860 Z

The

### CÓMPUTER TABLE Code No. DX - 70 A



#### SPECIFICATION

- Overall size table: W900 x D600mm.
- Height: 750mm.
- Work surface: 900 x 590 x 18mm pre laminated MDF board ISI mark 14587:1998.
- Panel: Should be 1.0mm thick CR sheet.
- Vertical Wire cover should be 0.6mm thick MS (for carrying the wire).
- Footrest: C-frame of 1.6mm thick MS.
- 7. 1 Utility Tray: 8 mm dia MS bright bar.
- CPU holder: Dia 25 MS ERW x 1.2 thick.
- 9. Should consist of integrated tray with build in mouse pad-flexibility of LHS/RHS use.
- Knock Down Design: Can be dismantled, transported and assembled easily.
- 11. The overall appearance of the product shall be as per photograph.
- 12. Finish: Complete under structure shall be powder coated after seven tanks anti corrosion pretreatment.

6

(46)

Alride

### SPECIF

- 1. O
  - (A
  - (C
- (D
- 2. To
- Po
- 3. Lij
- 4. Fre
- ins
- 5. Ex



# CHAIR WITH TABLET TYPE - II Code No. DX - 17 C



#### SPECIFICATION

- Overall Size: Total Height: 825mm. Seat Height: 460mm. Tablet Ht. 665mm Depth: 570mm. and width: 550mm. Seat Size 480 x 440 mm Back Size 450 x 450 mm
- Cantilevered understructure made of Dia 25mmx1.8 mm round steel tube, reinforced at proper places and bent at appropriate angle and radius.
- Seat mounting made of steel-flat 38x5.
- Foam & moulded cushion on hot pressed 12mm thk. ply supported by steel tubular frame.
- Steel T nuts inserted into ply for rigid fastening.
- Moulded-cushion 50mm thk with density 40 seat & back contoured for proper lumbar –support& rested back.
- PVC beading all around the seam of tapestry.
- Writing tablet made of layered pre laminated particale board (18mm thick) ISI Markedof size-580mmx280mm.
- Finish: All steel components shall be epoxy powder coated after seven tanks anti corrosion pretreatment of surface. Coating thickness 50 micron.
- 10. The overall appearance of the product shall be as per photograph

so de ship


SPECI

- 1. 2.
- 3.
- 4.
- 5.



### EXECUTIVE TABLE

Code No. DX - 01 B, 02 B, 03 B & 04 B



#### SPECIFICATION

- 1. Over all size -
  - (A) DX-01B 1800mm Wx900mm Dx750mm H,
  - (B) DX-02B 1500mm Wx750mm Dx750mm H,
  - (C) DX-03B 1200mm Wx600mm Dx750mm H,
  - (D) DX-04B 900mm Wx600mm Dx750mm H,
- Top and sides Made of 25mm thick and 18mm thick respectively of ISI mark MDF board with Post forming Laminate of 0.6 mm and side edge sealed with lipping
- 3. Lipping The edge banding of tape with glue by hot pressed machine of Matching colour.
- Front Panel ISI mark 18mm MDF board Post formed laminate of 0.6mm of Matching Colour with inside white balancing colour.
- 5. Excutive Table does not contains Returning Unit & Mobile Pedestal.

ti corrosion

6

1


(47)

stripe



## STEEL FILING CABINET (4 DRAWERS)

Code No. DX - 40 A



#### SPECIFICATION

- Overall Dimensions: W475 x D625mm
- Height: 1325mm Clear inside dimension of drawer H-250mm, W-385mm, D-560mm.
- Material: Prime quality CRCA sheet 1.0mm thick for shell. Slides are to be made of 1.6mm CRCA sheet. The cradles are to be made from 0.8mm thick CRCA sheet.
- 4. Construction: The construction of filing cabinet shall be of multiple bend and welded type to provide maximum rigidity. All the components are to be made with precision and shall have excellent workmanship. The joints are to be welded properly and dressed up for smooth finish. The special double extension telescope slides with precision cast delrin ball bearings are to be provided for smooth sliding of drawers.
- Locking system: The sturdy automatic locking system controlled by one lock is to be provided. The locking mechanism shall allow to keep individual drawers open.
- Handles: Superior quality handles are to be provided as shown in photograph.
- Finish: The filing cabinet shall be powder coated after seven tanks anti corrosion pretreatment.
- The overall appearance of the product shall be as per photograph.

6

De Sujoc

SPECIFIC<sup>2</sup>

- Overall d
- Material:
   board IS
- Lipping:
- Legs: Un:
- 5. Shelves:
- Fabrication high-leve
- Locks & F
- Finish: Al surface.
- The overa

(28)