



विक्रम विश्वविद्यालय, उज्जैन

(E-mail :- storevu1957@gmail.com मॉ.नं. 9424500307,9425788123)

क्रमांक / भण्डार/ प्रा.भा.इ. / 2025 / 45

दिनांक 16.01.2025

--:: उपकरण क्रय हेतु ई-निविदा वर्ष-2025 ::--

विश्व बैंक परियोजना अंतर्गत विश्वविद्यालय के प्राचीन भारतीय इतिहास संस्कृति एवं पुरातत्व अध्ययनशाला में Center of Excellence हेतु ICT उपकरण (AC, CCTV, Photo copier, LCD Infrared Optical, Printer, All in one Computer, Laptop etc.) मद अंतर्गत विभिन्न प्रकार के उपकरण क्रय करने हेतु विक्रम विश्वविद्यालय उज्जैन द्वारा इस कार्य हेतु पंजीकृत फर्म/इकाइयों से [http:// www.mptenders.gov.in](http://www.mptenders.gov.in) के माध्यम से ई-निविदा आमंत्रित की जाती हैं।

टेण्डर फार्म आनलाइन द्वारा : दिनांक 18.01.2025 से 07.02.2025 समय 17:30 तक क्रय करने की तिथि

आनलाइन बिड भरने की तिथि : दिनांक 18.01.2025 से 07.02.2025 समय 17:30 तक

निविदा (तकनीकी बिड) खोलने की तिथि : दिनांक 10.02.2025 को दोपहर 12.00 बजे।

विश्वविद्यालय में तकनीकी समिति की बैठक : दिनांक 11.02.2025 को दोपहर 03.00 बजे।

निविदा प्रपत्र का मूल्य आनलाइन जमा करें : 10,000/- (रुपये दस हजार मात्र) वापसी योग्य नहीं।

धरोहर राशि (ऑनलाईन जमा करें) : 1,80,000/- (रुपये एक लाख अस्सी हजार मात्र) ऑनलाईन जमा कर रसीद संलग्न करें।

नोट :- ई-निविदा में किसी भी प्रकार का शुद्धि पत्र/संशोधन/निविदा निरस्तीकरण की सूचना समाचार पत्र के माध्यम से नहीं किया जावेगा इस संबंध में केवल [http:// www.mptenders.gov.in](http://www.mptenders.gov.in) और [http:// www. vikramuniv.ac.in](http://www.vikramuniv.ac.in) पर ही प्रकाशन किया जावेगा ।

आदेशानुसार

कुलसचिव

विक्रम विश्वविद्यालय, उज्जैन

निविदा प्रक्रिया संबंधी जानकारी (भाग- 1)

1. निविदा प्रपत्र <https://www.mptenders.gov.in> से डाउनलोड किया जावे निविदा संबंधी जानकारी विक्रम विश्वविद्यालय की वेबसाइट www.vikramuniv.ac.in पर भी देखी जा सकती है।
2. उपकरण क्रय संबंधी निविदा केवल www.mptenders.gov.in पर ऑनलाईन प्रस्तुत की जावे। निविदा में किसी प्रकार के संशोधन की सूचना या जानकारी केवल वि.वि.की वेबसाइट www.vikramuniv.ac.in एवं www.mptenders.gov.in पर ही दी जावेगी।
3. यदि तकनीकी निविदा निर्धारित तिथि को नहीं खोली जाती है तो निविदा आगामी कार्य दिवस पर दोपहर 3.00 बजे खोली जावेगी। निविदा प्रपत्रों की जांच विश्वविद्यालय की तकनीकी समिति द्वारा की जावेगी। (निविदाकार या उनके प्रतिनिधि निविदा प्रपत्रों की जांच के समय तकनीकी समिति की बैठक में उपस्थित रह सकते हैं।) यदि किसी कारणवश तकनीकी समिति की बैठक निर्धारित तिथि को आयोजित नहीं हो पाती है तो उक्त बैठक आगामी कार्यदिवस में आयोजित की जावेगी।

प्रक्रिया-1. निविदा प्रपत्र का मूल्य रु. 10000/- (रु. दस हजार मात्र) है। निविदा सुरक्षा निधि राशि रु. 1,80,000/- (रुपये एक लाख अस्सी हजार मात्र) है। दोनों प्रकार की राशि ऑनलाईन जमा कर रसीदों को निविदा के साथ अपलोड किया जाना है। उक्तानुसार निविदा प्रपत्र का मूल्य एवं सुरक्षा निधि राशि प्राप्त होने पर ही फर्म को प्रक्रिया-2 के लिए योग्य माना जावेगा।

प्रक्रिया-2 प्रक्रिया-1 में योग्य पाई जाने वाली फर्म की ही तकनीकी निविदा खोली जावेगी। तकनीकी निविदा में दर्शित दस्तावेज फर्म की सील एवं हस्ताक्षरित स्कैन कर अपलोड किये जावें।

प्रक्रिया-3 प्रक्रिया-2 में योग्य पाई जाने वाली फर्मों की ही वित्तीय निविदा खोली जायेगी। वित्तीय निविदा भी ऑनलाईन प्रस्तुत की जाना है।

नोट :- निविदाकार द्वारा निविदा प्रपत्र एवं निविदा के साथ संलग्न किए जाने वाले समस्त दस्तावेज शपथ पत्र आदि हस्ताक्षरित कर एवं सील सहित स्कैन कर ऑनलाईन अपलोड किए जावे।

विक्रम विश्वविद्यालय, उज्जैन

निविदा की तकनीकी शर्तें (भाग- 2) (दस्तावेज आनलाइन अपलोड किए जावे)

1. निविदा प्रपत्र का मूल्य 10000/- की जमा रसीद आनलाइन संलग्न करें।
2. धरोहर राशि रु. 1,80,000/- की रसीद आनलाइन संलग्न करें। परन्तु मध्यप्रदेश के सुक्ष्म एवं लघु उधम तथा स्टार्टअप को निविदा की प्रतिभुति के भुगतान एवं निविदा प्रपत्र राशि से छुट रहेगी।
3. **अनुभव:-** फर्म द्वारा पिछले तीन वित्तीय वर्षों (2021-22, 2022-23, 2023-24) में किसी भी शासकीय/अर्धशासकीय संस्थाओं में न्यूनतम 2360000/- रूपए तक के निविदा में चाहे गए उपकरणों की आपूर्ति की गई हो (प्रमाण पत्र संलग्न करें)
4. **टर्न ओवर:-** पिछले तीन वित्तीय वर्षों (2021-22, 2022-23, 2023-24) में रु. 2360000/- रूपए का औसत टर्न ओवर होना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षरित/प्रमाणित दस्तावेज संलग्न किए जाए।
5. **बेलेन्स शीट** - पिछले तीन वित्तीय वर्षों (2021-22, 2022-23, 2023-24) की बेलेन्स शीट प्रस्तुत करना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षरित/प्रमाणित दस्तावेज संलग्न किए जाए।
6. **आयकर रिटर्न** - विगत तीन वित्तीय वर्ष (2021-22, 2022-23, 2023-24) के आयकर रिटर्न की प्रति संलग्न करें।
7. निविदाकर्ता फर्म किसी भी शासकीय/अर्धशासकीय संस्था से कभी भी ब्लेक लिस्टेड न हो इस हेतु निविदाकर्ता फर्म को रु. 100/- के स्टाम्प पर (नोटराज्ड) शपथ पत्र प्रस्तुत करना अनिवार्य है।
8. फर्म द्वारा जी.एस.टी. (GST) की प्रति संलग्न करें।
9. आयकर (PAN) नंबर की प्रति संलग्न करें।
10. संस्था/फर्म/कम्पनी का वैध रजिस्ट्रेशन प्रमाण पत्र संलग्न किया जावे।
11. निविदाकर्ता फर्म के पास अघतन/वैध ISO प्रमाण पत्र होना चाहिए।
12. मध्य प्रदेश भण्डार क्रय तथा सेवा उपार्जन नियम 2015 (यथा संशोधित 2022) के नियम 22 के अनुसार स्टार्टअप को टर्नओवर इत्यादि से छुट रहेगी।
13. स्टार्टअप से अभिप्रेत है, वे स्टार्टअप जिनको भारत सरकार, वाणिज्य एवं उधोग मंत्रालय की स्टार्टअप इण्डिया संस्था द्वारा मान्यता प्रदान की गई हो तथा जिनका पंजीकृत कार्यालय म.प्र. राज्य में स्थित हो।



विक्रम विश्वविद्यालय, उज्जैन
निविदा की सामान्य शर्तें (भाग- 3)

1. निविदाकर्ता फर्म द्वारा आनलाइन अपलोड किए जाने वाले दस्तावेज निर्धारित क्रमानुसार अनिवार्य रूप से अपलोड किये जावें। (अनुक्रमाणिका (index) पेज नं. सहित संलग्न की जावे।)
2. अपात्र फर्मों की धरोहर राशि सफल निविदाकार की दरें मान्य होने के पश्चात आनलाइन लोटा दी जावेगी।
3. सफल निविदाकार को निविदा मूल्य का 05 प्रतिशत राशि परफारमेंस ग्यारंटी (कुलसचिव एवं फर्म के संयुक्त नाम से) FDR के रूप में जमा करानी होगी जिसे उपकरणों के सफल Installation के बाद वापस किया जा सकेगा। परफोरमेंस बैंक ग्यारंटी प्राप्त होने के पश्चात आनलाइन जमा की गई EMD वापस कर दी जावेगी परफोरमेंस बैंक ग्यारंटी देयक भुगतान के 06 माह पश्चात वापस की जा सकेगी।
4. प्रदाय किए गए उपकरण Specification के अनुसार नहीं होने पर भुगतान नहीं किया जावेगा।
5. भुगतान के समय नियमानुसार करों की कटौती की जावेगी।
6. सामग्री प्रदाय के पूर्व किसी भी प्रकार का अग्रिम भुगतान नहीं किया जावेगा।
7. निर्धारित समय में सामग्री की आपूर्ति नहीं करने पर भण्डार क्रय नियमानुसार राशी कटौती कर भुगतान किया जावेगा।
8. प्रदाय किए गए उपकरणों के देयको का भुगतान तृतीय पक्ष के भौतिक सत्यापन के उपरांत ही किया जाएगा।
9. निर्धारित तिथि एवं समय के पश्चात निविदा संबंधी किसी भी प्रकार के दस्तावेज स्वीकार नहीं किए जाएंगे।
10. उपकरण/सामग्री विश्वविद्यालय में प्रदाय करने एवं निर्धारित स्थान पर Install करने की सम्पूर्ण जिम्मेदारी सम्बंधित फर्म की होगी।
11. उपकरणों की आपूर्ति के समय फर्म को उपकरणों की वारंटी (उपकरणों के अनुसार) देनी होगी एवं सर्विस भी प्रदान करनी होगी।
12. उपकरण संख्या बजट एवं आवश्यकतानुसार घटाई या बढ़ाई जा सकती है।
13. निविदा पर किसी भी प्रकार का अंतिम निर्णय विश्वविद्यालय कुलगुरु का होगा।
14. निविदा संबंधी किसी प्रकार के विवाद की स्थिति में न्यायालयीन क्षेत्राधिकार जिला उज्जैन होगा।

आदेशानुसार


कुलसचिव

सहमति पत्र
(निविदाकर्ता द्वारा भरा जावे)

प्रति,
कुलसचिव
विक्रम विश्वविद्यालय,
उज्जैन (म.प्र.)

विषय :- प्राचीन भारतीय इतिहास संस्कृति एवं पुरातत्व अध्ययनशाला में COE अन्तर्गत
ICT उपकरण क्रय हेतु ई-निविदा वर्ष 2025 बाबत।

महोदय,
उपरोक्त विषयान्तर्गत निवेदन है कि हमारी संस्था की जानकारी निम्नानुसार है।





1. निविदाकार/फर्म/ संस्था का नाम :.....
2. पत्र व्यवहार का पता :.....
.....
3. फर्म के प्रतिनिधि का नाम :.....
4. पद नाम :.....
5. दूरभाष क्र./फैक्स/ई-मेल
अ) लेण्ड लाईन न. :.....
ब) फैक्स नं. :.....
स) ई-मेल :.....
द) मोबाईल नं. :.....

प्रमाणीकरण

प्रमाणित किया जाता है कि निविदा के भाग 1, 2, 3 तथा 4 में उल्लेखित शर्तों के अनुसार विश्वविद्यालय में उपकरण प्रदाय करने हेतु सहमति प्रदान की जाती हैं।




फर्म के अधिकृत हस्ताक्षर/नाम एवं सील

विक्रम विश्वविद्यालय, उज्जैन

ICT उपकरणों का विवरण एवं स्पेसिफिकेशन के संबंध में निर्देश (भाग- 4)

S.N	NAME OF THE EQUIPMENT	SPECIFICATION
1	A.c	2.0 Ton, 100% Copper Cooling Coil Star Category: upto5 star rating AC's Compatibility: All Brands Non inverter ACsCompatible Refrigerant: R22 R32 R410A Brand's Warranty: 12 months
2	CCTV	2.4 MP SET WITH 8 CHANNEL DVR, 8 OUTDOOR WITH BUILT-IN AUDIO MIC CCTV CAMERAS, 2 TB HARD DRIVE, 8 Channel SMPS,Cable roll, USEWELL HDMI and BNC DC Camera Description: HIGH-QUALITY IMAGING with 2.4 Megapixel CCTV with Built-in Audio Mic for Audio Recording High-performance CMOS, Analog HD output, up to 1080P recording resolution, Smart IR, Up to 20 Meters IR distance, High-quality audio with audio over coaxial cable, built-in mic Easily connected with mobile through the internet with Mobile Software: iCMOB, gCMOB and watch live cameras anywhere in the world, also works on AHD, HDCVI, HDTV, CVBS, and IP Video Signal Input, DVR Has VGA & HDMI Output, Supports Co-axial Audio, One LAN/Network RJ85 Port and 2 USB Port DVR SPECS: FULL HD DVR With Audio Recording (All Ch's), H.265+,IP Cameras Input, 1 SATA (6 TB Capacity), Video bit rate (32 Kbps to 6 Mbps), Support HDTV/AHD/CVI/CVBS/IP video input, Audio via coaxial cable 2 Years Warranty
3	A.C	1.5 ton 100% Copper Cooling Coil Star Category: upto3 star rating AC's Compatibility: All Brands Non inverter ACs



		Compatible Refrigerant: R22 R32 R410A Brand's Warranty: 12 months
4	PHOTOCOPY MACHINE	Print Technology:Laser Machine Type:Multifunction Printing:Mono Cartridge Technology:Separate Drum & Toner Mono Component Developer Unit: NO Paper Size:A3/A3 RAM Size:512MB Speed:20PPPM A4/10 A3 Scanning:Yes Duplex:No Network:Yes Wi-Fi:Yes Document Feeder:Platen No. Of Paper Tray:One Paper Capacity:250 Sheets Bypass Tray Capacity:80 Sheets Toner Yield:10200 Copy/ Print Drum Yield:63700 Copy/ Print Duty Cycle:60000 Copy/ Print Warranty:1 Year warranty and 5 years FSMA after warranty
5	LCD INFRARED OPTICAL 3840X2160 INTERACTIVE PANELS AND ACCESSORIES	Screen size -65" Panel type -VA Active area -1428.5 × 803.5 mm Aspect ratio -16:9 Resolution -UHD 3840 × 2160 pixels Response time -8 ms Colour depth -10-bit Orientation -Landscape and Portrait Operation hours -18 hours / 7 days Panel brightness (typical) -320 nits Contrast ratio (typical) -5000:1

		<p>Dynamic contrast ratio -30,000:1 Color gamut -68% NTSC Backlight life (typical) -50000 hrs Glass - Germ-resistant technology -Nano-ionic silver Anti-glare -Yes Hardness -7H tempered Touch screen - Touch technology -Capacitive touch Touch points -20 Touch response time -< 8 ms System - Memory Storage -4GB 32GB OS -Android 8.0 GPU -Mali-G51MP4 CPU -A73 × 2 + A53 × 2 Connectivity - VGA -1 0 HDMI (in out) -3 × HDMI 2.0 1 × HDMI 2.0 USB-A -4 × 2.0 + 3 × 3.0 USB-B (for touch) -2 × 2.0 3.5 mm Line in (1) -Mic / PC Audio × 1_test 3.5 mm Line out -Earphone × 1 OPS slot (for slot-in PC) -1 S/PDIF out -0 1 (optical) Ethernet -10 / 100 / 1000 Mbps (Android) 10 / 100 / 1000 Mbps (OPS) × 1 - RS-232 -1 0 Built-in peripherals - NFC sensor -Yes Motion sensor -1 Microphone -6 (Max. pickup range 8m) Speaker -2 × 10 W Camera -1 Air sensor -TVOC Subwoofer -1 × 16 W Power - Power -AC 100-240V 50/60Hz Standby power consumption -<0.5 W Typical power consumption -129 W Physical - Dimensions (W x H x D) -1503.0 × 909.0 × 85.0 mm (59.2 × 35.8 × 3.3 inch) Shipping dimensions (W x H x D) -1697 × 1039 × 220 mm (66.8 × 40.9 × 8.7 inch) Mount (screws) -VESA 600 × 400 mm (4 × M8 × 25L)</p>
--	--	---

		<p>Environment - Operating temperature -0°C ~ 40°C 32°F ~ 104°F Storage temperature --20°C ~ 60°C -4°F ~ 140°F Storage humidity -10% ~ 90% RH Non-Condensing Operating humidity -10% ~ 90% RH non-condensing</p> <p>Software - Whiteboarding -EZWrite 5.0 Wireless screen sharing -InstaShare 2 Device management -DMS Account management -AMS Quick access tool -Floating Tool Broadcast system -X-Sign Broadcast Flicker Free -Yes Low Blue Light -Yes</p>
6	SINGLE FUNCTION COLOUR INKJET PRINT	Printer Type: Inkjet Functionality: Single Function (Print only) Printer Output: Colour Connectivity: USB Compatibility: Windows 8 / Windows 7 / WindowVista / Windows XP Mac OS X v10.6.8. Auto Power OnDisplay:NO Pages per minute:7.7 ppm (Black) 4.0 ppm (Colour) Page size supported:A4 l 10.16 cm x 15.24 cm 12.70cm x17.78 cm Custom size (Width): 89 - 215.9mmlength127 - 676mm Borderless Printing:Up to 4"x6". Print resolution:4800 x 1200 dpi
7	LASERJET PRO MFP M128 FN PRINTER	Specifications Print speed:21 - 30 Color output: Black and white Product type: Laser printers Perfect For: Business Function: Print scan copy and fax Network ready: Standard (built-in Ethernet) Modem:33.6 kbps Connectivity standard: Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port Network capabilities: Yes via built-in Ethernet Wireless capability: No Input capacity: Up to 150 sheets Maximum input capacity (sheets): Up to 150 sheets Display HP: 2-line LCD (text Acoustic power note Scan speed (normal A4): Up to 7 ppm (b&w) up to 5 ppm (color) Technology: Laser

		<p>Number of print cartridges: 1 (black) Print speed black (normal letter): Up to 21 ppm Print speed black (normal A4): Up to 20 ppm Print speed: Print speed up to 21 ppm (black) File formats supported: PDF; TIF; BMP; PNG; JPG Functions: Print copy scan fax Scan size (ADF) maximum: 216 x 356 mm Color scanning: Yes Scanner type: Flatbed ADF Scan size maximum: 216 x 297 mm Dimensions without stand (W x D x H): 420 x 365 x 309 mm</p>
8	<p>INTEL COREI9 - 10900X X - SERIES PROCESSOR 19.25M CACHE,3.70 GHZ LGA 2066</p>	<p>Processor Base Frequency :3.70 GHz Max Turbo Frequency :4.50 GHz Intel Turbo Boost Max Technology 3.0 Frequency :4.70 GHz Cache :19.25 MB Total Cores :10 Total Threads :20 Max Memory Size :1 TB Memory Types :DDR4-2933 Max Number of Memory Channels :4 Max Memory Bandwidth :93.85 GB/s Sockets Supported :FCLGA2066 Intel Deep Learning Boost (Intel DL Boost) on CPU :Yes Intel Optane Memory Supported :No Intel Speed Shift Technology :Yes Intel Turbo Boost Max Technology 3.0 :Yes Intel Turbo Boost Technology :2.0 Intel Hyper-Threading Technology :Yes Intel 64 :Yes Instruction Set :64-bit Processor: Intel Celeron J4025 (2.0 GHz base frequency(2b) up to 2.9 GHz up to 2.9 GHz 2 4 MB L2 cache 2cores 2 threads) Display & Graphics:54.6 cm (21.5") diagonal FHD (1920 x 1080) VA three-sided micro-edge anti-glare 250 nits 72% NTSC Memory & Storage:8 GB DDR4-3200 MHz RAM (1 x 8 GB) 512 GB PCIe NVMe M.2 SSD Expansion Slots:2 M.2 (1 for SSD 1 for WLAN) Operating System &Software:Windows 11 Home 64 Plus Single Language Microsoft Office Home & Student Edition 2021</p>

9	<p>ALL IN ONE PC INTEL CELERON J4025 21.5 INCH FHD ANTI GLARE DISPLAY (8 GB RAM- 512 GB SSD / WINDOWS 11/ INTEL UHD GRAPHICS 600 WIRED 22- DD2986 IN</p>	<p>Series :22-dd2986in Form Factor :All-in-One Item Height :38.1 Centimetres Item Width :20.5 Centimetres Standing screen display size :21.5 Inches Processor Brand :Intel Processor Type :Celeron Processor Speed :2 GHz Processor Socket :Socket A Processor Count :1 RAM Size :8 GB Memory Technology :DDR4 Computer Memory Type :DDR4 SDRAM Maximum Memory Supported :8 GB Memory Clock Speed :3200 MHz Hard Drive Size :512 GB Hard Disk Description :SSD Hard Drive Interface :eSATA Hard Disk Rotational Speed :7200 Speaker Description :dual speakers Graphics Coprocessor :Intel UHD Graphics 600 Graphics Chipset Brand :Intel Graphics Card Description :Integrated Graphics RAM Type :VRAM Graphics Card Interface :Integrated Connectivity Type :Bluetooth, Wi-Fi Wireless Type :Bluetooth, 802.11a/b/g/n/ac Number of USB 2.0 Ports :3 Operating System :Windows 11 Home Are Batteries Included :No Included Components :Desktop PC, Wired Keyboard & mouse</p>
10	<p>WIRELESS MK 270 WIRELESS USB KEYBOARD AND MOUSE SET BLACK</p>	<p>Connection Modes:Wireless (dongle): Wireless Transmission:2.4 GHz: Operating Distance:Up to 10 meters range & 360° coverage: USB Type:3.0: Nano USB Receiver:Plug& Play: Nano USB Receiver Storage Compartment:Yes: Compatibility: Windows XP/Vista/7/8/10:Yes: macOS:Yes: Features: Keyboard Numpad:Yes: Keyboard Multimedia Keys:No: Keyboard Function Keys:Yes: Mouse Buttons:3 including a 2D scroll-wheel:</p>

		<p>Mouse DPI:1000: DPI Switch:No: Mouse Tracking Technology:Optical: Drivers:No: Power: Battery:Alkaline battery: Battery Included:2 AA alkaline batteries: Battery Life:Up to 12 months</p>
11	<p>ENTERPRISE 1 X INTEL DDR4 SDRAM WITH ECC 64 GB</p>	<p>Type :Registered DIMM (RDIMM) Capacity :64 GB Memory Type :DDR4 SDRAM Speed :Up to 2933 MT/s Voltage :1.2V Error Correction :ECC (Error-Correcting Code) Number of Pins :288 Form Factor :DIMM Registered :Yes Buffered :Yes Chip Count :16 Module Height :1.2 inches (30.5 mm) Compatibility :Compatible with Intel server platforms that support DDR4 RDIMMs Warranty :Typically, 3-5 years</p>
12	<p>SHORT THROW MULTIMEDIA PROJECTOR WITH 1280X 800 (WXGA) RESOLUTION</p>	<p>Projection System :3LCD 3-chip technology Native Resolution :1280 x 800 (WXGA) Color Brightness :3300 lumens White Brightness :3300 lumens Aspect Ratio :16:10 Resize :800 x 600 (SVGA) 1024 x 768 (XGA) 1152 x 864 (SXGA) 1280 x 960 (SXGA2) 1280 x 1024 (SXGA3) 1440 x 900 (WXGA+) 1400 x 1050 (SXGA+) Lamp Type :210 W UHE Lamp Life :Up to 10000 hours (ECO Mode) and 6000 hours (Normal Mode) Throw Ratio Range :1.38 (Zoom: Wide) 1.68 (Zoom: Tele) Size - projected distance :33" – 320" (0.9 – 9.0 m) Keystone Correction :Automatic Vertical: ±30 degrees :Horizontal: Easy-slide Image Correction USB Plug 'n Play :Projects audio and video PC and Mac®] compatible Contrast Ratio :Up to 15000:1 ColorReproduction :Up to 1.07 billion colors Temperature :41° to 95° F (5° to 35° C) Weight :5.5 lb Security :Password Protect function</p>

		<p>Projection Lens :Optical zoom (Manual)/Focus (Manual) F-number :1.49 – 1.72 Focal Length :16.9 mm – 20.28 mm Zoom Ratio :Optical zoom 1.0 – 1.2 Display Performance :NTSC: 480 lines PAL: 560 lines Input Signal :NTSC / NTSC4.43 / PAL / M-PAL / N- PAL / PAL60 / SECAM Interfaces :HDMI x 1 Computer / Component video: D-sub 15 pin x 1 S-video: Mini DIN x 1 Composite video: RCA x 1 USB connector: Type A x 1 (PC-free and other) USB connector: Type B x 1 (USB Plug 'n Play) Audio in: RCA (White / Red) x 1 Speaker :1 W (Mono) Fan Noise :ECO mode: 28 dB Normal mode: 37 dB Projector Dimensions :Including feet: 11.9" x 9.2" x 3.2" (W x D x H) Excluding feet: 11.9" x 9.2" x 3.0" (W x D x H) Remote Control :Source search selection power volume e-zoom A/V Mute freeze menu page up and down help auto mouse functions Operating Distance :19.7 ft. (5.8 m) Operating Angle :Right / Left: ±30 degrees Upper / Lower: ±15 degrees Power Supply Voltage :100 – 240 V ±10% 50/60 Hz Power Consumption :ECO mode: 214 W Normal mode: 291 W</p>
13	AC1.8 TON 5 STAR	<p>Coil Material :Copper Condenser Coil Warranty :1 Year Comprehensive 10 Years Compressor Suitable for rooms :up to 210 sq ft Power Consumption :1575-2190 Watts Refrigerant :R32 Coanda Airflow Technology :Self Diagnosis Dew Clean Technology Coverage Area :19.5 Sq.M. (approximately) Installation Type :Wall Mount Air Flow Volume :593 CFM Technology :Inverter Technology and 3D Airflow Cooling Capacity :6000 Watts Noise Level (Indoor Unit) :38-48 dB Filtration :PM 2.5 Filter and 3D Airflow Swing Type :Up/Down and Left/Right Automatic Louvers Swing Type Remote :Backlit Remote Controller and Luminescent Remote Button Voice Guidance :Alexa/Google Home Compatibility</p>
14	GRAYLOGIX 4 G LTE MODEM.DATA	<p>Down load link rate :Maximum downlink rate of 10Mbps Uplink rate :Maximum uplink rate of 5Mbps</p>

	RATE 115200 BPS	Mode support :Supports wireless communication modes LTE-TDD/LTE-FDD Communication: AT instructions : Module :Cat-1 Capabilities :GNSS and BLE
15	USB CAMERA WITH INTERGRATED SPEAKER PHONE FOR VIDEO CONFERENCING SYSTEM 4 L (3804X2160)	Resolution: 1080p (1920 x 1080 pixels) Frame Rate: Up to 30 fps Field of View: 78 degrees
16	WIRELESS CARDIOID MICROPHONE (WE-D ME3 SET)	Polar Pattern :Cardioid Frequency Response :50 - 18000 Hz Max. Sound Pressure Level :150 dB Sensitivity :1.6 mV/Pa Cable Connections :Mini-jack Input Voltage :10 V Height Length and Width :60 mm x 202 mm x 202 mm Cable Length :1.6 meters Dynamic Range :134 dB Latency :1.9 ms Bluetooth Connectivity :Available Smart Assist App :Available for iOS and Android devices
17	WIRELESS SUSPERCARDIOID MICROPHONE R (EW 100 G4 865)	Type :Wireless handheld microphone system Polar Pattern :Supercardioid Frequency Response :470 - 516 MHz (A1) 46 MHz UHF tuning range with 1840 selectable frequencies Type of Receiver :Half-rack receiver EM 100 G4 rackmount receiver Transmission Range :Up to 330' Battery Life :Up to 8 hours of operation on two AA batteries Mute Function :Yes
18	FOR U WAY PA SPEAKER, WARRANTY 3 YEARS	Model :U Way PA Speaker Power Output :100W - 1000W Frequency Response :50Hz - 20kHz Sensitivity :88dB - 92dB Impedance :4 Ohms - 8 Ohms Connectivity :Bluetooth AUX USB MicroSD Battery Life :Up to 8 hours Charging Time :4-6 hours Warranty :3 years

19	SINGLE CORE FLEXIBLE CABLESEALITE R 4 SQMM FRLSH SINGLE CORE FLEXIBLE CABLE -200 MTR	Conductor :Copper Insulation :Flexible PVC (FRLSH) Cross-Sectional Area :4 Sqmm Length :200 meters Flexibility :Flexible Temperature Range :-20°C to 80°C Voltage Rating :450/750V Certification :ISI marked (Indian Standard Institute)
20	LINE INTERACTIVE UPS WITH AVR OF RATING 2.0 KVA WITH WARRANTY OF 2 YEARS	Capacity :1000VA/600W to 1500VA/900W Input Voltage :230V AC Voltage Range :140 to 300 V AC Frequency :50 Hz Output Voltage :220-240V AC Battery :12V 7AH x 2 to 12V 9AHX2 batteries Recharge Time :4 hrs max (Recharge to 90% Capacity) Backup Time :60 mins to 75 minutes (standard PC Load + 18.5" Led Monitor) Transfer Time :Typical - 2 to 4 ms Max 10 ms Indicator :AC mode - Green LED light Backup Mode - Yellow LED light Fault - Red LED Light Audible Alarm Backup Mode :Beeping Every 10 Seconds Low Battery :Beeping Every Second Overload :Beeping Every 0.5 Seconds Fault :Continuous beeping Weight :8 kg to 10.4 Kg
21	LAPTOP	Processor :11th or 12th Gen Intel Core i5 RAM :8 GB Storage :512 GB SSD Operating System :Windows 11 Home Display Size :15.6 inches Display Resolution :FHD Weight :1.65 kg Battery Life :Up to 10 hours Ports :Thunderbolt 4 USB-A HDMI Headphone Jack Graphics :Intel Iris Xe Graphics
22	A.C	1.5 Ton Inverter Split AC, 3 Star Rating Copper Condenser 1 Year Comprehensive Warranty, 10 Years Compressor Warranty For Rooms up to 150 sqft Power Consumption: 1144 W Refrigerant: R32 Anti-Microbial Protection Filter, Turbo and Sleep Mode, Self Diagnosis

विक्रम विश्वविद्यालय, उज्जैन

वित्तीय निविदा प्रपत्र वर्ष-2024
(ऑनलाईन भरा जाये)

उपकरणों की सूची

क्रं.	उपकरण का विवरण	प्रति नग उपकरण की दर समस्त कर सहित
01	A.c	
02	CCTV	
03	A.C	
04	PHOTOCOPY MACHINE	
05	LCD INFRARED OPTICAL 3840X2160 NTERACTIVE PANELS AND ACCESSORIES INTERACTIVE PANELS AND ACCESSORIES	
06	SINGLE FUNCTION COLOUR INKJET PRINT	
07	LASERJET PRO MFP M128 FN PRINTER	
08	INTEL COREI9 -10900X X - SERIES PROCESSOR 19.25M CACHE,3.70 GHZ LGA 2066	
09	ALL IN ONE PC INTEL CELERON J4025 21.5 INCH FHD ANTI GLARE DISPLAY (8 GB RAM- 512 GB SSD / WINDOWS 11/ INTEL UHD GRAPHICS 600 WIRED 22-DD2986 IN	
10	WIRELESS MK 270 WIRELESS USB KEYBOARD AND MOUSE SET BLACK	
11	ENTERPRISE 1 X INTEL DDR4 SDRAM WITH ECC 64 GB	
12	SHORT THROW MULTIMEDIA PROJECTOR WITH 1280X 800 (WXGA) RESOLUTION	
13	AC1.8 TON 5 STAR	

14	GRAYLOGIX 4 G LTE MODEM.DATA RATE 115200 BPS	
15	USB CAMERA WITH INTERGRATED SPEAKER PHONE FOR VIDEO CONFERENCING SYSTEM 4 L (3804X2160	
16	WIRELESS CARDIOID MICROPHONE (WE-D ME3 SET)	
17	WIRELESS SUSPERCARDIOID MICROPHONE R (EW 100 G4 865	
18	FOR U WAY PA SPEAKER, WARRANTY 3 YEARS	
19	SINGLE CORE FLEXIBLE CABLE SEALITER 4 SQMM FRLSH SINGLE CORE FLEXIBLE CABLE - 200 MTR	
20	LINE INTERACTIVE UPS WITH AVR OF RATING 2.0 KVA WITH WARRANTY OF 2 YEARS	
21	LAPTOP	
22	A.C	

km

[Handwritten line]

[Handwritten signature]

[Handwritten signature]