

(E-mail :- storevu1957@gmail.com मों.नं. 9425916181,9425788123)

क्रमांक /भण्डार/क्रीडा विभाग/2024/🌂

दिनांक २२/११/१०२८

-:: खेल उपकरण क्रय हेतु ई-निविदा वर्ष-2024 ::-

विश्वविद्यालय के क्रीड़ा विभाग हेतु रूसा मद से खेल उपकरण क्रय करने हेतु विक्रम विश्वविद्यालय उज्जैन द्वारा इस कार्य हेतु पंजीकृत फर्म/इकाइयों से http:// www.mptenders.gov.in के माध्यम से ई—निविदा आमंत्रित की जाती हैं।

टेण्डर फार्म आनलाइन द्वारा

: दिनांक **३**८ ।३ ३०३५ से 1**7 ०। ३०३**५ समय 17:30 तक

क्रय करने की तिथि

आनलाइन बिड भरने की तिथि

: दिनांक **18 11 101 प्र 17 01 1015** समय 17:30 तक

निविदा (तकनीकी बिड)

: दिनांक 1001 1005 को दोपहर 03.00 बजे।

खोलने की तिथि

खेल उपकरणों के Sample

: दिनांक 10/01/10/15 को अपरान्ह 03.00 बजे।

प्रस्तुत करने हेतु निर्धारित तिथि

निविदा प्रपत्र का मूल्य

: .1,000 / – (रूपये एक हजार मात्र) वापसी योग्य नही।

आनलाइन जमा करें

धरोहर राशि

: 75,000/- (रूपये पिच्हतर हजार मात्र) ऑनलाईन जमा कर

(ऑनलाईन जमा करें)

रसीद संलग्न करें।

नोट :- ई-निविदा में किसी भी प्रकार का संशोधन / निविदा निरस्तीकरण की सूचना समाचार पत्र के माध्यम से नहीं किया जावेगा इस संबंध में केवल http:// www.mptenders.gov.in और http:// www. vikramuniv.ac.in पर ही प्रकाशन किया जावेगा ।

आदेशानुसार

कुलसचिव


निविदा प्रक्रिया संबंधी जानकारी (भाग- 1)

- 1. निविदा प्रपत्र www.mptenders,gov.in से डाउनलोड किया जावे निविदा संबंधी जानकारी विक्रम विश्वविद्यालय की वेबसाईट www.vikramuniv.ac.in पर भी देखी जा सकती है।
- 2. उपकरण क्रय संबंधी निविदा केवल www.mptenders.gov.in पर ऑनलाईन प्रस्तुत की जावे। निविदा में किसी प्रकार के संशोधन की सूचना या जानकारी केवल वि.वि.की वेबसाइट www.vikramuniv.ac.in एवं www.mptenders.gov.in पर ही दी जावेगी।
- 3. यदि तकनीकी निविदा निर्धारित तिथि को नहीं खोली जाती है तो निविदा आगामी कार्य दिवस पर दोपहर 3.00 बजे खोली जावेगी। (निविदाकार या उनके प्रतिनिधि तकनीकी निविदा खोले जाने के समय उपस्थित रह सकते है।)
- प्रक्रिया—1. निविदा प्रपत्र का मूल्य रू. 1000/— (रू. एक हजार मात्र) है। निविदा सुरक्षा निधि राशि रू. 75,000/— (रूपये पिच्हतर हजार मात्र) है। दोनो प्रकार की राशि ऑनलाइन जमा कर रसीदों को निविदा के साथ अपलोड़ किया जाना है। उक्तानुसार निविदा प्रपत्र का मूल्य एवं सुरक्षा निधि राशि प्राप्त होने पर ही फर्म को प्रक्रिया—2 के लिए योग्य माना जावेगा।
- प्रक्रिया—2 प्रक्रिया—1 में योग्य पाई जाने वाली फर्म की ही तकनीकी निविदा खोली जावेगी। तकनीकी निविदा में दर्शित दस्तावेज फर्म की सील एवं हस्ताक्षरित स्केन कर अपलोड किये जावें।
- प्रक्रिया—3 प्रक्रिया—2 में योग्य पाई जाने वाली फर्मों की ही वित्तीय निविदा खोली जायेगी। वित्तीय निविदा भी ऑनलाईन प्रस्तुत की जाना है।
- नोट :— निविदा एवं संलग्न किये जाने वाले समस्त दस्तावेज / शपथपत्र (निविदा शर्त अनुसार) स्केन कर ऑनलाईन अपलोड किया जावे।



निविदा की तकनीकी शर्ते (भाग— 2) (दस्तावेज आनलाइन अपलोड किए जावे)

- 1. निविदा प्रपत्र का मूल्य 1000 / की जमा रसीद आनलाइन संलग्न करें।
- 2. धरोहर राशि रू. 75,000/- की रसीद आनलाइन संलग्न करें।
- 3. अनुभवः— फर्म द्वारा पिछले तीन वित्तीय वर्षों (2021—22, 2022—23, 2023—24) में किसी भी शासकीय / अर्धशासकीय संस्थाओं में न्यूनतम 2500000 / रूपए तक के खेल उपकरणों की आपूर्ति की गई हो (प्रमाण पत्र संलग्न करनें)
- 4. टर्न ओवर:— पिछले तीन वित्तीय वर्षों (2021—22, 2022—23, 2023—24) में रू. 10000000/— रूपए का औसत टर्न ओवर होना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।
- 5. बेलेन्स शीट पिछले तीन वित्तीय वर्षों (2021—22, 2022—23, 2023—24) की बेलेन्स शीट प्रस्तुत करना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।
- 6. **आयकर रिटर्न** विगत तीन वित्तीय वर्ष (2021—22, 2022—23, 2023—24) के आयकर रिटर्न की प्रति संलग्न करें।
- 7. निविदाकर्ता फर्म किसी भी शासकीय/अर्द्धशासकीय संस्था से कभी भी ब्लेक लिस्टेड न हो इस हेतु निविदाकर्ता फर्म को रू. 100/— के स्टाम्प पर (नोटराज्ड) शपथ पत्र प्रस्तुत करना अनिवार्य है।
- 8. फर्म द्वारा जी.एस.टी. (GST) की प्रति संलग्न करें।
- 9. आयकर (PAN) नंबर की प्रति संलग्न करें।
- 10. संस्था / फर्म / कम्पनी का वैध रजिस्ट्रेशन प्रमाण पत्र संलग्न किया जावे।
- 11. तकनीकी निविदा में सफल होने वाले निविदाकारों को चाहे गए स्पेसिफिकेशन अनुसार एवं उपकरणों की कुल संख्या में से न्यूनतम 10 खेल उपकरण Sample के रूप में प्रस्तुत करने होगे।
- 12. जो निविदाकार Sample प्रस्तुत नहीं करेगे उनकी वित्तीय निविदा नहीं खोली जावेगी।
- 13. फर्म / कम्पनी खेल उपकरणो की आपूर्ति करती हो इस हेतु आवश्यक प्रमाण पत्र / Authorization प्रमाण पत्र प्रस्तुत करें।
- 14. फर्म द्वारा वैध ISO प्रमाण पत्र आवश्यक रूप से प्रस्तुत किया जाए।



निविदा की सामान्य शर्ते (भाग- 3)

1. निविदाकर्ता फर्म द्वारा आनलाइन अपलोड किए जाने वाले दस्तावेज निर्धारित क्रमानुसार अनिवार्य रूप से अपलोड किये जावें। (अनुक्रमाणिका (index) पेज नं. सहित संलग्न की जावे।)

2. अपात्र फर्मो की धरोहर राशि सफल निविदाकार की दरें मान्य होने के पश्चात

आनलाइन लोटा दी जावेगी।

3. सफल निविदाकार को निविदा मूल्य का 05 प्रतिशत राशि परफारमेंस ग्यारंटी (कुलसचिव एवं फर्म के संयुक्त नाम से) FDR के रूप में जमा करानी होगी जिसे खेल उपकरणो के सफल Installation के बाद वापस किया जा सकेगा। परफोरमेंस ग्यारंटी प्राप्त होने के पश्चात आनलाइन जमा की गई EMD वापस कर दी जावेगी परफोरमेंस ग्यारंटी देयक भूगतान के 06 माह पश्चात वापस की जा सकेगी।

4. प्रदाय किए गए उपकरण Specification के अनुसार नही होने पर भुगतान नही किया

जावेगा।

5. भुगतान के समय नियमानुसार करों की कटोत्री की जावेगी।

6. सामग्री प्रदाय के पूर्व किसी भी प्रकार का अग्रिम भुगतान नही किया जावेगा।

7. निर्धारित समय में सामग्री की आपूर्ति न करने पर भण्डार क्रय नियमानुसार राशी कटौत्रा कर भूगतान किया जावेगा।

8. प्रदाय किए गए उपकरणों के देयकों का भुगतान भौतिक सत्यापन के पश्चात ही किया

जाएगा।

- 9. निधारित तिथि एवं समय के पश्चात निविदा संबंधी किसी भी प्रकार के दस्तावेज स्वीकार नहीं किए जाएगें। निधारित तिथि के पश्चात प्रस्तुत किए गए Sample भी मान्य नही होगा।
- 10. उपकरण / सामग्री विश्वविद्यालय में प्रदाय करने एवं निधारित स्थान पर Install करने की सम्पूर्ण जिम्मेदारी सम्बंधित फर्म की होगी।

11. उपकरणों की आपूर्ति के समय फर्म को उपकरणों की वारंटी (उपकरणों के अनुसार)

देनी होगी एवं सर्विस भी प्रदान करनी होगी।

12. उपकरण संख्या बजट एवं आवश्यक्तानुसार घटाई या बढ़ाई जा सकती है।

आदेशानुसार

कुलसचिव

Dijoe

सहमति पत्र (निविदाकर्ता द्वारा भरा जावे)

प्रति,	
कुलसचिव विक्रम विश्वविद्यालय,	
उज्जैन (म.प्र.)	
विषय :- विक्रम विश्वविद्यालय, उज्जैन के क्रीडा ई ई-निविदा वर्ष 2024 बाबत्।	विभाग अन्तर्गत खेल उपकरण क्रय हेतु
महोदय, उपरोक्त विषयान्तर्गत निवेदन है कि हमारी	संस्था की जानकारी निम्नानुसार है।
1. निविदाकार/फर्म/ संस्था का नाम	:
2. पत्र व्यवहार का पता	·
3. फर्म के प्रतिनिधि का नाम	
4. पद नाम	
 दूरभाष क्र./फैक्स/ई-मेल 	
अ) लेण्ड लाईन न.	
ब) फैक्स नं.	<u></u>
स) ई—मेल	·
द) मोबाईल नं.	:

प्रमाणित किया जाता है कि निविदा के भाग 1, 2, 3 तथा 4 में उल्लेखित शर्तों के अनुसार विष्वविद्यालय में उपकरण प्रदाय करने हेतु सहमति प्रदान की जाती हैं।

फर्म के अधिकृत हस्ताक्षर/नाम एवं सील

shire

खेल उपकरणों का विवरण एवं स्पेसिफिकेशन के संबंध में निर्देश (भाग- 4)

S.	Name of Product	Specification	
1	Name of Product Four Station Gym	State-of- the art design with duty steel structure 4 station gym with 3 steel weight stacks of 90 kgs each. Multiple exercise function - Leg press, Shoulder Press, chest press lat pull seated row and all high /low Pulley exercise. Comfortable seat pads All weight stacks attached at right angle for Maximum spac saving when placed in a corner. Durable powder coated finish Arc cover for protection 330cm (L) x 310cm (W) x 220cm (H)	
2	Cross Cable	450cm (L) X 109cm (W) x 231cm (H) Weight Stack : 220 lbs. x 2	
3	Smith Machine - Counter weight + adjust table bench	Dimenssion Range - (L*W*H) 130*200*215 Cm to 140*210*225 Cm Loading Capacity 200 Kg or better Barbell weight minimum 5 Kg Weight horns 6 to 8 Steel Frame The Machine should have a ciunterbalanced barbell system to ensure safe Floating barbell system to ensure safe execution with the machine guided assistance	
4	Hack Squat	The System should be stable and rigid Maximum Dimension of Machine (L*W*H) 255*180*170 Cm to 275*190*190 Cm Loading Capacity 400 Kg or better Must have handles and stop hooks to ensurte maximum safety of user during the workout Extra large foot plaform multiple variation of squat and lunges Must have loading and de-loading elastic band anchor to help users to their individual resistance needs. The system shgould be stable and rigid	
5	Leg Press	Maximum Dimension of Machine (L*W*H) 170*200*140 Cm to 190*210*160 Cm Load Capacity 450 Kg or better Povision of a linkage system in the foot platform to optimize the angle of footplate t ensure comfortable ankle angle Provision of a large multi angl foot plateform to ensure exercise variation by placement of feet in multiple position Should be designed to facilitate unilateral training Rotary path of weight plates should provide optimal resistance profile	
6	Power Rack	Maximum Dimension of Machine (L*W*H) 125*160*240 cm to 145*170*260 Cm Frame description- Olympic Power Rack Each frame must have powder coat finish Tubular steel frame should be such to ensure maximum structural integrity Fine Adjustment of the starting position of the barbell with minimum 6 Cm step	
7	Olympic Flat Bench	Maximum Dimension of Machine (L*W*H) 165*155*125 Cm to 180*165*140 Cm Must have integrated weight storage Minimum 2 different hooks for diffirent user height System should be stable and rigid	
8	Olympic Incline Bench	Maximum Dimension of Machine (L*W*H) 180*120*140cm to 195*130*155Cm Must have user foot plate to stabilize user during exercise Must have supporter platform for safe and effective Must have adjustable seat System should be stable and rigid	



9	Olympic Decline Bench	Maximum Dimension of Machine (L*W*H) 180*120*140cm to 195*130*155Cm Must have user foot plate to stabilize user during exercise Must have supporter platform for safe and effective Must have adjustable seat System should be stable and rigid	
10	Abdominal Board	Over sized bench padding for maximum comfort Range of motion limiter allows control of both flexible & extension workout 168cm (L) x 57cm (W) x 115cm (H) Tubular steel structure with hi class epoxi coated finish. Dual transport wheels for easy movement. Product has to be assembled using an installation manual provided in the package.	
11	Twister		
12	Crunch Machine	Double jointed pivoting seat provides a fluid range of motion Converging upper and lower body action engages upper, middle and lower abdominal muscles in one natural movement Upper and lower back support rollers keep body and neck stable to isolate abdominal muscles Rolling back support eliminates back strain, Dimensions: 66 x 81 x 147 cms, Net weight: 26 kgs(57 lbs), Max user weight: 150 kgs(330 lbs) Guided motion guarantees effective exercise	
13	Spin Bike	ultra-modern Spin Bike is equipped with an 14.3 lbs flywheel facilitating a natural cycling momentum, it has a 100- level magnetic resistance system to challenge you for varying intensity workouts, also the strong belt drive mechanism is low maintenance and supports a quiet workout experience. The bike is equipped with a tablet 47holder allowing the user to seamlessly connect the mobile or tablet to OneFitPlus/Fitwarz Apps and manage all his/her data including time, speed, distance, calories burned etc. as well as enjoy a premier fitness gaming experience. Max user weight - 150 kgs	




1	I	
14	Commercial Treadmill	Dimension Range of Equipment (L*W*H): 170*90*150 Cm to 180*100*160 Cm It Should be able to tolerate user weight of 150 Kg or higher Power of Motor-4 HP or better Speed Ratting-Up to 18 KMPH or better Range of Incline-0-15% Maximum Running Surface-145*50 Cm or better Commercial Treadmill Power Requirement-200-240 Volt AC Custom Speed Maximum Height of running surface 9 to 10 inch USB port accessible Customized Programme 10-12 System should be stable and rigid With Heart ratting Sensor Screen Size 10-12 inch Must have wheels for easy transportation Should be equipped with advance technology to save energy
15	Olympic Rod	Weight 12.5 Kg Dimension 28mm Length 2010mm Plate Diameter 50mm Minimum Tensile strength 160000, central Knurl - No Knurling - Light Tolerance 0.1% and -0.05% As Per Olympic Standard High quality stainless steel
16	Zig Zag Rod 28mm	Bar weight 7.5 Kg Bar Diameter 28mm Length 1500mm Plate diameter 50mm Minimum Tensile strength 160000, central Knurl - No Knurling - Light Lightweight and featuring collars made of a high quality plastic Built of high quality stainless steel with hard chrome finish
17	Weight Plate	Material rubber stainless steel Steel disc insert coating: chrome plating, finish matte gloss Must have an inner steel structure Weight 2.5 Kg, 5 Kg, 7.5 Kg, 10 Kg, 10 Pcs of each 15 Kg, 20 Kg, 25 Kg, 6 Pcs of each



18	Dumbbell	Must be urethane encased and must offer a natural and more effective usage feeling High Quality Steel with rubber coating 2.5 Kg, 5 Kg, 7.5 Kg, 10 Kg, 10 Prs of each 15 Kg, 20 Kg, 25 Kg, 6 Prs of each	
19	Dumbbell Stand	Dimension Range of Equipment (L*W*H): 245*60*70 to 260*70*80 cm Must accommodate 10 prs dumbbell in a row	
20	Plate Stand + Rod Stand	FUNCTIONALITY: Central weight distribution eliminates the risk of tipping while keeping plates and bars off the ground for safe workouts and easy use DESIGN: Welded steel construction offers high tensile strength and durability for years to come Vertical bar holder stores 2 olympic (50mm dia) bars upright. Six 2" x 8" weight plate storage posts keep plates safely suspended off the floor for easy storage and removal and can hold up to 1,000 lbs. of weight. Only for storage of Olympic (50mm dia) Weight Plates & Bars.	
21	Gym Mat	100*60 Ft area 8 mm Thickness Should be flexible Made of high quality rubber	
22	Adjustable Bench	150 kg max. load Adjustable foam rollers, SETUP DIM. (CM)139 (L) x 64 (W) x 119 (H) Foam back pad Integrated dip bars, Refer to the manual for installation Steel frame construction, Supports decline, incline, flat and upright positions	
23	TT Table	No. of Wheel-4 with locks, 4 without Size 2740X1525X760MM Thickness-25 MM Wheel Size-100 MM Frame Size 25X50 MM For Training and Competition Purpose Approved with TTFI Dupont polyurethane antiglare paint: Best quality paint which provides uniform and consistent bounce. It also protects the surface and makes the table durable	
24	Gymnastic Mats	Size - 2X1 Mtr Made of high Density EPE foam with synthetic Cover Thickness-60 MM With Synthetic Cover	
25	Gymnastic Single Bar	Horizontal Bar with Adjustable Height With easy assembly	
26	Gymnastic Double /Parallel bar	As per Regulation Adjustable height from 1.65 Mtr to 2.25 Mtr Size 3.5 Mtr Fibre Glass Rails Base Pipe-100*50*3 mm Support Pipe 70mm round pipe	



27	Cricket Pitch Mat	Coir Mats made of high quality coconut fiber for outdoor use on all type of surface. It's completely weather proof. Perfect for playing on both ground - Cricket Pitch and in Net. Storage is convenient as it can be rolled away after play or can be left outdoor Cricket Matting is a great attractive solution for laveling the gradient of the pitch area helping to establish an even surface for a more predicable ball bounce Size33*8 Ft Color Green
28	Badminton Synthetic Mat	As per the Badminton federation of India court for outdoor use made of fine vinylk with cushion layer and available in different thickness maverick turftm court are shock absorbing surfaces therefore reducing the risk of injury and stress to the knees, joints, anklets, hips and lower back area. Closed foam buffer layer material, such as aircushion structure, provides standard protection and 100% recyclable
29	Judo Mats	In Red Blue and Yellow Cover with Non Tearing Cover and Non Slip Bottom 50 mm Full Bonded pu foam density of Mat.



वित्तीय निविदा प्रपत्र वर्ष—2024 (ऑनलाईन भरा जाये)

खेल उपकरणों की सूची

क्रं.	उपकरण का विवरण	प्रति नग उपकरण की दर समस्त कर सहित
01	Four Station Gym	
02	Cross Cable	
03	Smith Machine - Counter weight + adjust table bench	
04	Hack Squat	
05	Leg Press	
06	Power Rack	
07	Olympic Flat Bench	
08	Olympic Incline Bench	
09	Olympic Decline Bench	
10	Abdominal Board	
11	Twister	
12	Crunch Machine	
13	Spin Bike	
14	Commercial Treadmill	
15	Olympic Rod	
16	Zig Zag Rod 28mm	
17	Weight Plate	



18	Dumbbell	
19	Dumbbell Stand	
20	Plate Stand + Rod Stand	
21	Gym Mat	
22	Adjustable Bench	
23	TT Table	
24	Gymnastic Mats	
25	Gymnastic Single Bar	
26	Gymnastic Double /Parallel bar	
27	Cricket Pitch Mat	
28	Badminton Synthetic Mat	
29	Judo Mats	

