



विक्रम विश्वविद्यालय, उज्जैन

(E-mail :- storevu1957@gmail.com मॉ.नं. 8305291577, 9755789688)

क्रम क / भण्डार / फोरेंसिक साईस / 2025 / २३२

दिनांक :- 15/9/25

—:: उपकरण क्रय हेतु ई-निविदा वर्ष-2025 ::—

विक्रम विश्वविद्यालय के फोरेंसिक साईस अध्ययनशाला हेतु प्रायोगिक कार्य हेतु उपकरण क्रय करने हेतु विक्रम विश्वविद्यालय उज्जैन द्वारा इस कार्य हेतु पंजीकृत फर्म/इकाइयों से <http://www.mptenders.gov.in> के माध्यम से ई-निविदा आमंत्रित की जाती हैं।

टेण्डर फार्म आनलाइन द्वारा : दिनांक 19/09/25 से 09/10/25 समय 17:30 तक
क्रय करने की तिथि

आनलाइन बिड भरने की तिथि : दिनांक 19/09/25 से 09/10/25 समय 17:30 तक

प्री-बिड मीटिंग तिथि : दिनांक 25/9/25 को दोपहर 03.00 बजे।

निविदा (तकनीकी बिड)
खोलने की तिथि : दिनांक 13/10/25 को दोपहर 12.00 बजे।

विश्वविद्यालय में तकनीकी
समिति की बैठक : दिनांक 14/10/25 को दोपहर 03.00 बजे।

निविदा प्रपत्र का मूल्य : 1000/- (रुपये एक हजार मात्र) वापसी योग्य नहीं।
आनलाइन जमा करें

निविदा प्रतिभूति राशि (EMD) : 15,000/- (रुपये पन्द्रह हजार मात्र) ऑनलाइन जमा कर
(ऑनलाइन जमा करें) रसीद संलग्न करें।

निविदा का अनुमानित मूल्य : 4,90,385/- (रुपये चार लाख नब्बे हजार तीन सो पिच्चयासी मात्र)

नोट :- ई-निविदा में किसी भी प्रकार का संशोधन/निविदा निरस्तीकरण की सूचना समाचार पत्र के माध्यम से नहीं किया जावेगा इस संबंध में केवल <http://www.mptenders.gov.in> और <http://www.vikramuniv.ac.in> पर ही प्रकाशन किया जावेगा।

25/8/2025
25/8/25
25/8/25

आदेशानुसार

कुलसचिव

विक्रम विश्वविद्यालय, उज्जैन

निविदा प्रक्रिया संबंधी जानकारी (भाग- 1)


1. निविदा प्रपत्र <https://www.mptenders.gov.in> से डाउनलोड किया जावे निविदा संबंधी जानकारी विक्रम विश्वविद्यालय की वेबसाइट www.vikramuniv.ac.in पर भी देखी जा सकती है।
2. उपकरण क्रय संबंधी निविदा केवल www.mptenders.gov.in पर ऑनलाईन प्रस्तुत की जावे। निविदा में किसी प्रकार के संशोधन की सूचना या जानकारी केवल वि.वि.की वेबसाइट www.vikramuniv.ac.in एवं www.mptenders.gov.in पर ही दी जावेगी।
3. यदि तकनीकी निविदा निर्धारित तिथि को नहीं खोली जाती है तो निविदा आगामी कार्य दिवस पर दोपहर 3.00 बजे खोली जावेगी। (निविदाकार या उनके प्रतिनिधि तकनीकी निविदा खोले जाने के समय उपस्थित रह सकते हैं।)

प्रक्रिया-1. निविदा प्रपत्र का मूल्य रु. 1000/- (रु. एक हजार मात्र) है। निविदा प्रतिभूति राशि (EMD) राशि रु. 15,000/- (रुपये पन्द्रह हजार मात्र) है। दोनों प्रकार की राशि ऑनलाईन जमा कर रसीदों को निविदा के साथ अपलोड किया जाना है। उक्तानुसार निविदा प्रपत्र का मूल्य एवं सुरक्षा निधि राशि प्राप्त होने पर ही फर्म को प्रक्रिया-2 के लिए योग्य माना जावेगा।

प्रक्रिया-2 प्रक्रिया-1 में योग्य पाई जाने वाली फर्म की ही तकनीकी निविदा खोली जावेगी। तकनीकी निविदा में दर्शित दस्तावेज फर्म की सील एवं हस्ताक्षरित स्केन कर अपलोड किये जावें।

प्रक्रिया-3 प्रक्रिया-2 में योग्य पाई जाने वाली फर्मों की ही वित्तीय निविदा खोली जायेगी। वित्तीय निविदा भी ऑनलाईन प्रस्तुत की जाना है।


नोट :- निविदा एवं संलग्न किये जाने वाले समस्त दस्तावेज/शपथपत्र (निविदा शर्त अनुसार) स्केन कर ऑनलाईन अपलोड किया जावे।



विक्रम विश्वविद्यालय, उज्जैन

निविदा की तकनीकी शर्तें (भाग- 2) (दस्तावेज आनलाइन अपलोड किए जावे)


1. निविदा प्रपत्र का मूल्य 1000/- की जमा रसीद आनलाइन संलग्न करें।
2. निविदा प्रतिभूति राशि (EMD) रु. 15,000/- की रसीद आनलाइन संलग्न करें।
3. म.प्र. के MSME पंजीकृत फर्मों को EMD एवं निविदा प्रपत्र से छूट की पात्रता होगी।
4. अनुभव:- फर्म द्वारा पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) में किसी भी शासकीय/अर्धशासकीय संस्थाओं में न्यूनतम 2000000/- रुपए तक के लेब उपकरण की आपूर्ति की गई हो (प्रमाण पत्र संलग्न करें)
5. टर्न ओवर:- पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) में रु. 150000/- रुपए का औसत टर्न ओवर होना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।
6. बेलेन्स शीट - पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) की बेलेन्स शीट प्रस्तुत करना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।
7. आयकर रिटर्न - विगत तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) के आयकर रिटर्न की प्रति संलग्न करें।
8. निविदाकर्ता फर्म किसी भी शासकीय/अर्धशासकीय संस्था से कभी भी ब्लेक लिस्टेड न हो इस हेतु निविदाकर्ता फर्म को रु. 100/- के स्टाम्प पर (नोटराज्ड) शपथ पत्र प्रस्तुत करना अनिवार्य है।
9. फर्म द्वारा जी.एस.टी. (GST) की प्रति संलग्न करें।
10. आयकर (PAN) नंबर की प्रति संलग्न करें।
11. संस्था/फर्म/कम्पनी का वैध रजिस्ट्रेशन प्रमाण पत्र संलग्न किया जावे।
12. निविदाकर्ता फर्म द्वारा अद्यतन/वैध ISO प्रमाण पत्र की छाया प्रति संलग्न करें।



विक्रम विश्वविद्यालय, उज्जैन

निविदा की सामान्य शर्तें (भाग- 3)

1. निविदाकर्ता फर्म द्वारा आनलाइन अपलोड किए जाने वाले दस्तावेज निर्धारित क्रमानुसार अनिवार्य रूप से अपलोड किये जावें। (अनुक्रमाणिका (index) पेज नं. सहित संलग्न की जावे।)
2. अपात्र फर्मों की निविदा प्रतिभूति राशि (EMD) सफल निविदाकार की दरें मान्य होने के पश्चात आनलाइन लोटा दी जावेगी।
3. सफल निविदाकार को निविदा मूल्य का 05 प्रतिशत राशि परफारमेंस ग्यारंटी (निष्पादन प्रतिभूति राशि) (कुलसचिव एवं फर्म के संयुक्त नाम से) FDR के रूप में जमा करानी होगी जिसे फोरोसिक ऐगजामिनेशन किट्स के सफल Installation के बाद वापस किया जा सकेगा। परफोरमेंस बैंक ग्यारंटी प्राप्त होने के पश्चात आनलाइन जमा की गई EMD वापस कर दी जावेगी परफोरमेंस बैंक ग्यारंटी देयक भुगतान के 06 माह पश्चात वापस की जा सकेगी।
4. प्रदाय किए गए उपकरण Specification के अनुसार नहीं होने पर भुगतान नहीं किया जावेगा।
5. भुगतान के समय नियमानुसार करों की कटौती की जावेगी।
6. सामग्री प्रदाय के पूर्व किसी भी प्रकार का अग्रिम भुगतान नहीं किया जावेगा।
7. निर्धारित समय में सामग्री की आपूर्ति न करने पर भण्डार क्रय नियमानुसार राशी कटौती कर भुगतान किया जावेगा।
8. प्रदाय किए गए उपकरण के देयको का भुगतान भौतिक सत्यापन के पश्चात ही किया जाएगा।
9. उपकरण विश्वविद्यालय में प्रदाय करने एवं निर्धारित स्थान पर Install करने की सम्पूर्ण जिम्मेदारी सम्बंधित फर्म की होगी।
10. उपकरण की आपूर्ति के समय फर्म को उपकरणों की वारंटी (उपकरणों के अनुसार) देनी होगी एवं सर्विस भी प्रदान करनी होगी।
11. उपकरण संख्या बजट एवं आवश्यकतानुसार घटाई या बढ़ाई जा सकती है।


25/8/2024
25/8/24

आदेशानुसार

कुलसचिव

सहमति पत्र
(निविदाकर्ता द्वारा भरा जावे)

प्रति
कुल सचिव
विक्रम विश्वविद्यालय,
उज्जैन (म.प्र.)

विषय :- फोरेंसिक साईंस अध्ययनशाला हेतु प्रायोगिक कार्य हेतु उपकरण क्रय हेतु ई-निविदा वर्ष 2025


महोदय,

उपरोक्त विषयान्तर्गत निवेदन है कि हमारी संस्था की जानकारी निम्नानुसार है।

1. निविदाकार/फर्म/ संस्था का नाम :.....
2. पत्र व्यवहार का पता :.....
:.....
3. फर्म के प्रतिनिधि का नाम :.....
4. पद नाम :.....
5. दूरभाष क्र./फैक्स/ई-मेल
अ) लेण्ड लाईन न. :.....
ब) फैक्स नं. :.....
स) ई-मेल :.....
द) मोबाईल नं. :.....

प्रमाणीकरण

प्रमाणित किया जाता है कि निविदा के भाग 1, 2, 3, 4 तथा 5 में उल्लेखित शर्तों के अनुसार विश्वविद्यालय में उपकरण प्रदाय करने हेतु सहमति प्रदान की जाती हैं।



फर्म के अधिकृत हस्ताक्षर/नाम एवं सील

विक्रम विश्वविद्यालय, उज्जैन

निविदा शर्त अनुसार संलग्न किये जाने वाले दस्तावेज (फर्म के सील एवं हस्ताक्षर सहित) स्कैन कॉपी अपलोड की जाये (भाग- 4)

क्र.	विवरण	दस्तावेज संलग्न है हां/ नहीं	दस्तावेज का पृष्ठ क्रमांक
1.	निविदा प्रपत्र का मूल्य राशि रु. 1000/- (रु. एक हजार मात्र) एवं निविदा प्रतिभूति राशि (EMD) राशि रु. 15000/- (रु. पन्द्रह हजार मात्र) जमा की रसीद।		
2.	अनुभव:- फर्म द्वारा पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) में किसी भी शासकीय/अर्धशासकीय संस्थाओं में न्यूनतम 2000000/- रूपए तक के उपकरण की आपूर्ति की गई हो।		
3.	टर्न ओवर:- पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) में रु. 150000/- रूपए का औसत टर्न ओवर होना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।		
4.	बेलेन्स शीट - पिछले तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) की बेलेन्स शीट प्रस्तुत करना अनिवार्य है। CA द्वारा सील एवं हस्ताक्षर सहित दस्तावेज संलग्न किए जाए।		
5.	आयकर रिटर्न - विगत तीन असेसमेंट वर्षों (2022-23, 2023-24, 2024-25) के आयकर रिटर्न की प्रति संलग्न करें।		
6.	ब्लेक लिस्ट- निविदाकर्ता फर्म किसी भी शासकीय/अर्धशासकीय संस्था से कभी भी ब्लेक लिस्टेड न हो इस हेतु निविदाकर्ता फर्म को रु. 100/- के स्टाम्प पर (नोटराज्ड) शपथ पत्र प्रस्तुत करना अनिवार्य है।		
7.	जी.एस.टी. (GST) नंबर की प्रति प्रस्तुत करें।		
8.	आयकर (PAN) नंबर की प्रति प्रस्तुत करें।		
9.	संस्था/फर्म/कम्पनी का वैध रजिस्ट्रेशन प्रमाण पत्र की प्रति प्रस्तुत करें।		
10.	तकनीकी निविदा प्रपत्र		
11.	निविदाकर्ता फर्म द्वारा अघतन/वैध ISO प्रमाण पत्र की छाया प्रति संलग्न करें।		

25/8/24

25/8/24


विक्रम विश्वविद्यालय, उज्जैन


उपकरण का विवरण एवं स्पेसिफिकेशन के संबंध में निर्देश (भाग- 5)

S. No.	Instrument Name	Specifications	Quantity	Price (in INR)
1.	Hot Air oven	Dimension : 24 X 24 X 24 inch, 4 x 4 ft, 25 kg in weight, Power Supply: 220 volts, Temp Display: LED Display, Temperature Accuracy: + / - 2°C, Temperature Uniformity: + / - 1°C, Interior Chamber: 304 stainless steel, Exterior Chamber: MS powder coated, Air Circulation: Forced air circulation, Insulation: Mineral Wool, Doors: Solid doors with steel handle, Shelves: 3 Stainless steel shelves (Removable), Package content: 1 Hot Air Oven 20 Gauge Heavy Duty Sheet Metal Laboratory Oven (24 X 24 X 24)	01	6822
2.	Abbe's Refractometer	Dimension: 36 x 25 x 45 cm, Weight: 9.7 kg, Memory: Includes 1 memory stick, Package Content: Main instrument, Instrument manual, Test certificate, Construction: Compact and durable design suitable for laboratory use	01	1753
3.	Rechargeable UV Light	Light Source Type: UV (365 nm wavelength), Brightness: 20 watt, Power Source: Battery Powered, Battery Type: Lithium-Ion (included), Runtime: Up to 2 hours, Material: Durable Aluminum Body, Color: 365 nm UV, Style: 20 watt, Weight: 300 grams, Dimensions: 40D x 30W x 100H mm, Special Features: Portable, Lightweight, Rechargeable, Included Components: 1 x UV Flashlight, 1 x Battery	01	2999
4.	Centrifuge (10000-15000 RPM)	8 x 15 ml Test Tubes Angle Rotor Head, 1000-5000 RPM, Digital Timer 0-99 minutes, PRP centrifuge, Item Weight: 10 kg, Package Dimensions: 45.72 x 35.56 x 35.56 cm, Number of Memory Sticks: 1	01	2422



25/8/2025

5.	Hot Plate	Special Features: • Temperature Control • Laboratory Grade • Electric Heating Colour: Silver Form Factor: Flat Mounting Type: Tabletop Mount Indoor/Outdoor Usage: Indoor Room Type: Laboratory, Research Facility Recommended Uses: • Laboratory Heating • Scientific Experiments • Sample Preparation Heating Coverage: Laboratory-scale Heating Surface Burner Type: Hot Plate Fuel Type: Electric Voltage: 220 Volts Amperage: 10 Amps Min Temperature Setting: 50°C Max Temperature Setting: 350°C Number of Speeds: 3 Product Dimensions: 25 cm (D) x 30 cm (W) x 10 cm (H) Item Weight: 2.5 kg Included Components: • User Manual Power Cord • Hot Plate • Number of Memory Sticks: 1 (Unusual entry for this type of product; may refer to temperature setting memory feature)	01	2293
----	-----------	--	----	------









6.	Comparison Microscope	Application: Forensic comparison of bullets, tool marks, fingerprints, handwriting, seals, currency, etc. Magnification: 5× to 120× (expandable to 240× with auxiliary objectives). Eyepieces: WF10×/22mm & WF20×/12mm, both with diopter adjustment. Objectives: 0.5×, 1×, 1.5×, 2×, 4×, 6× (sextuple nosepiece). Viewing Head: Siedentop trinocular, 45° inclined, interpupillary distance 55–75mm. Illumination: High-power adjustable LED, 12V/50W side light, coaxial and polarizing options. Comparison Modes: Left/right single, overlapping, segmented, and jointed field views. Control: Touchscreen interface for illumination and camera functions. Camera Support: DSLR digital cameras (CMOS, HD, LCD) via C-mount. Stage Movement: X, Y, Z = 54mm; Coarse vertical = 60mm; Dual-stage horizontal = 60mm. Accessories: Bullet holder, polarizing attachment, red/green/blue filters, camera mounts. Software: image processing (for dynamic/static comparison). Dimensions: 39 × 38 × 70 cm (L × W × H).	01	25000
7.	Muffle Furnace	Colour: Blue Display Type: LED Operating Temperature: 900°C (<i>Note: "9E+2 Degrees Celsius" is scientific notation for 900°C</i>) Number of Memory Sticks: 1 Item Weight: 17 kg Package Dimensions: 50 x 48 x 42 cm (Weight: 17 kg) - Included Components: Power Cable - Installation Manual	01	11700
8.	Digital Compound Microscope (Monocular)	Magnification 40×–1000× / 1500×, LED illumination, monocular tube, rack & pinion coarse/fine focus, metal body.	01	15500







9.	Binocular Microscope (Electronic)	Optical Tube - Binocular Magnification - 100x-2000x Illumination - Plano concave mirror & 1W LED Cordless Lamp Objectives - 5x,10x, 40x Spring Loaded Eye Pieces - PAIR 10x Viewing Head - Binocular Inclined at 45 degrees, 55-72mm Interpupillary distance Condenser - Movable NA 1.25 with diaphragm with blank Slide Kit	01	11696
10.	Stereo Microscope	SPECIFICATIONS of Stereo Dissecting Microscopes: Stand: Dual light stand Eye Tube: 45° Inclined, Binocular / Trinocular Eyepieces: 10X-20mm Objective: 1X-2X-4X revolving on turret Total Magnification: 10X-20X-40X (10X Eyepiece) Working distance: 90mm Focus: Focusing knobs on stand Illumination: Incident light LED 3.3W, sub-stage transmitted Light LED 3.3W, with illumination adjustable Electrical: Universal power supply (110V-240V), ISO-CE	01	32000
11.	UV Transilluminator (Multiwavelength) (For Questioned Document Examination)	UV Wavelength (nm)-312nm Type of illuminator - Benchtop Type Intensity control - High/Medium/Low Cooling system by fan air cooling Warranty (years)3 Input Voltage,V (V)230 Selection of Intensity- Variable Intensity UV safety screen-Yes No. of UV Tubes- (Nos)6 Application Range- To view DNA/RNA migration on the agarose gel in microbiology laboratory Wavelength type- Multiple UV Tube wattage (W)8	01	41300

12.	DSLR Camera with its Stand and Assortments (for forensic photography) and Colour Printer	Includes Transcend 64GB Class 10 SD Memory Card, 58mm 3 Piece Filter Kit , 58mm 4 Piece Macro Kit , 58mm .43 Wide Angle Lens, 58mm 2.2x Telephoto Lens, 58mm Tulip Hood, Tripod, Sling Case, tripod, Video/Photo Editing Software Pack, Battery Charger , Spare High Capacity Battery , Spare travel Charger , Slave Flash, Remote, Lens Cap , Body Cap , Neck Strap , AL's Variety Lens Cleaning Cloth + 1 Year Seller Supplied Warranty , DSLR Camera Body (International Version)- 24.1MP APS-C CMOS Sensor, Image Processor, 3.0" 920k- Dot LCD Monitor, Full HD 1080/30p Video Recording, 9-Point AF with Center Cross-Type Point, ISO 100-6400, Up to 3 fps Shooting, Built-In Wi-Fi with NFC, Scene Intelligent Auto Mode , Creative Filters and Creative Auto Modes 18-55mm f/3.5-5.6 IS II Lens - EF-S-Mount Lens/APS-C Format, 28.8-88mm (35mm Equivalent), Aperture Range: f/3.5 to f/38, One Aspherical Element, Super Spectra coating,	01	138900
-----	--	---	----	--------

 25/8/2025


 25/8/2025


Optical Image Stabilizer, Rounded six-blade diaphragm, standard zoom is designed for APS-C-format

BulletPoint4 : High-Power 420- 800mm f/8.3 HD Manual Telephoto Lens+ T-mount adapter

A versatile lens for photographing distant subjects, the 420-800mm f/8.3 HD Telephoto Zoom features a convenient threaded T-mount for adapting to a wide variety of camera types.

Its 4 elements, 2 groups optical design features a super HD multi-coating, and a lens hood is incorporated into the design, to suppress lens flare, ghosting, and surface

BulletPoint5 : 24.1MP APS-C CMOS sensor and DIGIC 4+ image processor, which combine to provide both speed throughout the camera system as well as notable image quality. Up to 3 fps shooting is possible to suit photographing moving subjects—for up to 150 consecutive JPEGs in a burst or up to 11 consecutive raw frames—and Full HD 1080p video at 30 fps can also be recorded. For working in a variety of lighting conditions, the sensitivity range of ISO 100-6400 can be further expanded to ISO 12800

CameraFlash : Hammerhead

Printer type:

Functions: Print, Scan, Copy ; Printer output: Colour ; Connectivity: WiFi USB ; Scanner: Yes ; Scanner resolution: 600 x1200 dpi

OS Compatibility: Windows 10, Windows 8, Windows 7, Windows 7 SP1, Windows Vista SP2, Windows XP SP3 32-bit only, Mac OS X v10.7.5 and later

Mobile connectivity: Yes

Hardware Interface: Hi-Speed



[Handwritten signatures and dates in blue ink]

25/8/15


		USB; Enlarge/reduce option: No ; Duplex: No Maximum Print Speed (color): 5.0 ipm, Maximum Print Speed (Monochrome): 8.8 ipm ; Print cost Monochrome: Rs 0.10 ; Print cost color: Rs 0.24 ; Maximum Print Resolution (color): 4800x1200 dpi, Maximum Print Resolution (Monochrome): 4800x1200 dpi		
13.	Vortex Mixer	Number of Memory Sticks: 1 Item Weight: 10 kg Product Dimensions: 44 x 31 x 24 cm; 10 kg Item Part Number: AEI-S-RK11 Item Height: 24 Centimeters Item Width: 31 Centimeters	01	9000
14.	Magnetic Stirrer with Hot Plate	Magnetic Stirrer 2 LTR Item Model Number: Magnetic Stirrer 2 LTR Number of Memory Sticks: 1 Item Weight: 4.06 kg Product Dimensions: 42 x 36 x 25 cm Item Height: 25 cm Item Width: 36 cm Included Components: Magnetic Stirrer 2 LTR	01	4000
15.	pH Meter	Measurement range: 0-14 Ph Accuracy: +/- 0.01 Ph Display type: 3.1/2 Digital Voltage: 230V AC Warranty: 1 year Dimension: 275X175X76 mm Weight: 1.2 kg	01	6500
16.	Hot Water Bath	Material: Inner chamber – Stainless Steel 304; Outer – Powder-coated Mild Steel Design: Rectangular, Double-wall construction for heat insulation Capacity: 6 holes with concentric rings (included) for test tubes/beakers Voltage & Frequency: 220 V, 50 Hz AC (Indian standard) Temperature Range: Ambient +5 °C to ~95 °C (approx.) Heating Uniformity: ±1–2 °C (typical for analog models) Finish: Powder-coated, corrosion- resistant Application: Ideal for laboratories— sample warming, reagent incubation, etc. Extras: Includes concentric rings; plug- and-use setup	01	9500

17.	TrasoScan Scanner	• Portability: Portable • Scan Mode: Structured-light scan with automatic turntable • Light Source: White LED light • Camera Resolution: Dual 12 MP cameras • Texture Acquisition: Fully automatic soft light shooting • Data Formats: OBJ, STL, ASC, PLY, 3MF • Align Modes: Markers, feature, manual alignment • Calibration: Manual calibration • Scan Range: • Inner: 150 mm × 96 mm • Outer: 300 mm × 190 mm (via slide-rail switch) • Accuracy: • Inner position: 0.035 mm • Outer position: 0.05 mm • Multi-Resolution Fusion: Supports high, medium, and low resolutions in one project • Color Fidelity: Captures 24-bit color maps with high accuracy • Operation: Fully automatic scanning with intelligent software guidance and optimization tools	01	14000																																												
18.	Fingerprint Examination Kit (Fingerprint developer kit)	<table><tr><td colspan="4">MAXX Finger Print Developer Kit Item Description</td></tr><tr><td colspan="2">Specifications</td><td colspan="2">Quantity</td></tr><tr><td>Finger Print Powder Black</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Powder White</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Powder Grey</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Powder Dual</td><td>50 Gm</td><td>Use</td><td></td></tr><tr><td>Finger Print Fluorescent Powder Yellow</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Fluorescent Powder Green</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Magnetic Powder Grey</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Fluorescent Magnetic Powder Orange</td><td>50 Gm</td><td></td><td></td></tr><tr><td>Finger Print Feather</td><td></td><td>Brush</td><td></td></tr></table>	MAXX Finger Print Developer Kit Item Description				Specifications		Quantity		Finger Print Powder Black	50 Gm			Finger Print Powder White	50 Gm			Finger Print Powder Grey	50 Gm			Finger Print Powder Dual	50 Gm	Use		Finger Print Fluorescent Powder Yellow	50 Gm			Finger Print Fluorescent Powder Green	50 Gm			Finger Print Magnetic Powder Grey	50 Gm			Finger Print Fluorescent Magnetic Powder Orange	50 Gm			Finger Print Feather		Brush		01	65,000.00
MAXX Finger Print Developer Kit Item Description																																																
Specifications		Quantity																																														
Finger Print Powder Black	50 Gm																																															
Finger Print Powder White	50 Gm																																															
Finger Print Powder Grey	50 Gm																																															
Finger Print Powder Dual	50 Gm	Use																																														
Finger Print Fluorescent Powder Yellow	50 Gm																																															
Finger Print Fluorescent Powder Green	50 Gm																																															
Finger Print Magnetic Powder Grey	50 Gm																																															
Finger Print Fluorescent Magnetic Powder Orange	50 Gm																																															
Finger Print Feather		Brush																																														


		Stamping Set Type Plastic Molded 01 Finger Print Feather Brush Marabou Feather 01 No Finger Print Elimination Pad Ostrich Feather 01 No Finger Print Magnetic Applicator Normal 01 No Atomizer (Finger Print Powder Fuming Gun) Plastic Top Model 01 No Finger Print Lifting Tape 1 inch 01 No Finger Print Lifting Tape 2 inch 01 No Finger Print Backing Cards 4"x4" Black 24 No Finger Print Backing Cards 4"x4" White 24 No Finger Print Lifters 2"x3" Black 24 No Finger Print Lifters 2a"x3" Black 24 No Magnifier Aspheric 75mm, 3X 01 No Portable Evidence Blue LED Lamp Battery 10 Operated No Gloves Latex, Cotton, Heavy 2 Each Scissors Steel 01 No Tweezers Steel 01 No Finger Print Backing Cards 4"x4" White 24 No Scalpel Disposable 01 No Liquid Soap 50ml 01 No Towel Small 01 No Small Aluminum Case with shoulder strap Customized Carrying Case 01 No MAXX Finger Print Developer Kit Item Description Quantity Finger Print Regular Powder - Black 50 Gms Finger Print Regular Powder - Grey 50 Gms Finger Print Regular Powder - White 50 Gms Finger Print Regular Powder - Dual		
--	--	---	--	--


		Use 50 Gms Finger Print Magnetic Powder - Black 100 Gms Finger Print Magnetic Powder - Grey 100 Gms Finger Print Magnetic Powder - White 100 Gms Finger Print Magnetic Powder - Dual Use 100 Gms Finger Print Florescent Powder - Red 50 Gms Finger Print Florescent Powder - Yellow 50 Gms Finger Print Florescent Powder - Green 50 Gms Finger Print Florescent Powder - Orange 50 Gms Finger Print Florescent Magnetic Powder - Red 100 Gms Finger Print Florescent Magnetic Powder - Yellow 100 Gms Finger Print Florescent Magnetic Powder - Green 100 Gms Finger Print Florescent Magnetic Powder - Orange 100 Gms Finger Print Feather Marabou Brush 02 Nos Finger Print Feather Ostrich Brush 02 Nos Finger Print Magnetic Powder Applicator 02 Nos Soft Hair Brush 01 Nos Finger Print Lifting Tape 1" 02 Nos Finger Print Lifting Tape 2" 01 Nos Finger Print Lifting Tape 3" 01 Nos Finger Print Black Lifters 24 Nos Finger Print White Lifters 24 Nos Finger Print Transparent Lifters 24 Nos Finger Print Black Backing Cards 24 Nos Finger Print White Backing Cards 24 Nos Finger Print Transparent Gel Lifters (for rough surface) 05 Nos Finger Print Black Gel Lifters (for rough surface) 05 Nos Finger Print White Gel Lifters (for		
--	--	--	--	--

 25/10/2014




 25/10/25

		rough surface) 05 Nos Latent Iodine Print Process with Fixative 1 Set Magnifier White Light Illuminated 3 X 3" Dia 01 Nos Magnifier Light Illuminated Scaled Fixed Focus 8 X 01 Nos Magnifier / Linen Tester Folding Light Illuminated 5 X 01 Nos Portable Evidence Blue LED Lamp Battery Operated 01 Nos Scissors 01 Nos Scalpel 01 Nos Tweezers 01 Nos Latex / Nitrile Gloves 5 Pair Cotton Gloves 2 Pair Evidence Marker Fine Tip - Black, Blue, Red 01 Each ALUMINUM CARRYING CASE 01 Each		
19.	Questioned document examination kit	• Imaging & Optical Tools: High-resolution scanner, 5x-10x magnifiers, Model M2 magnifier, UV (short & longwave) lights, and comparator with reticles. • Ink & Paper Analysis: Full reagent set (IR1-IR10), erased ink samples, TLC kit with solvents A-C, chromatography sheets, and sampling tools. • Indentation & Restoration: Indentation detection and removal solutions, iodine fuming bags, fixative/remover, acid neutralizer, and deionized water. • Examination Aids: Document analysis plates, pipettes, tweezers, cotton swabs, filter papers, and alligator clips. • Carrying Case: Rugged copolymer case, 18" x 13" x 14.5", compartmentalized for secure storage and transport.	01	90000.00
Total 4,90,385/- (Four lakh ninety thousand three hundred and eighty-five only.)				



विक्रम विश्वविद्यालय, उज्जैन

वित्तीय निविदा प्रपत्र वर्ष-2025

(ऑनलाईन भरा जाये)

उपकरण की सूची

क्रं.	उपकरण का विवरण	प्रति नग उपकरण की दर समस्त कर सहित
01	Hot Air oven	
02	Abbe's Refractometer	
03	Rechargeable UV Light	
04	Centrifuge (10000-15000 RPM)	
05	Hot Plate	
06	Comparison Microscope	
07	Muffle Furnace	
08	Digital Compound Microscope (Monocular)	
09	Binocular Microscope (Electronic)	
10	Stereo Microscope	
11	UV Transilluminator (Multiwavelength) (For Questioned Document Examination)	
12	DSLR Camera with its Stand and Assortments (for forensic photography) and Colour Printer	
13	Vortex Mixer	
14	Magnetic Stirrer with Hot Plate	
15	pH Meter	
16	Hot Water Bath	
17	TrasoScan Scanner	
18	Fingerprint Examination Kit (Fingerprint developer kit)	
19	Questioned document examination kit	

25/8/25